NEPAL ELECTRICITY AUTHORITY

(An Undertaking of Government of Nepal)

DISTRIBUTION AND CONSUMER SERVICES DIRECTORATE NEPAL DISTRIBUTION SYSTEM UPGRADE AND EXPANSION PROJECT



TENDER DOCUMENT

for

Procurement of material, equipment, associated accessories and necessary installation services including design, erection, testing, and commissioning of 33/11 kV Substations and 33 kV, 11 kV, 400 V Lines and Distribution System Network

Package No. W5 Sub Project: Piple of Salyan District, Laxmana of Bardia District, Budhebapar and Baddichaur of Surkhet District

Single-Stage: Two-Envelope Tender Procedure

Issued on:

Invitation for Re-Tenders No.: ICB-DCSD-2078/79-DSUEP-AIIB-W5

Contract Ref. No.: ICB-DCSD-2078/79-DSUEP-AIIB-W5

Employer: Nepal Electricity Authority

Country: Nepal

Volume IIIA of III

(Price Schedule of 33/11 kV Substations and 33 kV Lines)

Nepal Distribution System Upgrade and Expansion Project Distribution and Consumer Services Directorate Nepal Electricity Authority Rudramati Marg, Setopul, Maitidevi, Kathmandu

Tel: +977-1- 4153145

Email: dsuep_aiib@nea.org.np

The state of the s

Table of Contents - Summary Description

PART I	TENDER PROCEDURES	
	Section 1 - Instructions to Tenderers (ITT) This section specifies the procedures to be followed by Tenderers in the preparation and submission of their Bids. Information is also provided on the submission, opening, and evaluation of bids and on the award of contract.	1-1
	Section 2 - Tender Data Sheet (TDS) This section consists of provisions that are specific to each procurement and supplement the information or requirements included in Section 1 (Instructions to Tenderers).	2-1
	Section 3 - Evaluation and Qualification Criteria (EQC)	3-1
	Section 4 - Tender Forms (TDF) This section contains the forms which are to be completed by the Tenderer and submitted as part of its Tender.	4-1
	Section 5 - Eligible Countries (ELC) This section contains the list of eligible countries.	5-1
PART II	REQUIREMENTS	
	Section 6 - Employer's Requirements (ERQ)	6-1
PART III	CONDITIONS OF CONTRACT AND CONTRACT FORM	S
	Section 7 - General Conditions of Contract (GCC) This section contains the general clauses to be applied in all contracts. These Conditions are subject to the variations and additions set out in Section 8 (Special Conditions of Contract).	7-1
	Section 8 - Special Conditions of Contract (SCC) This section contains provisions that are specific to each contract and that modify or supplement the GCC. Whenever there is a conflict, the provisions herein shall prevail over those in the GCC. The clause number of the SCC is the corresponding clause number of the GCC.	8-1
	Section 9 - Contract Forms (COF) This section contains forms, which, once completed, will form part of the Contract. The forms for Performance Security and Advance Payment Security, when required, shall only be completed by the successful Tenderer after contract award.	9-1



Section 4: Tender Forms 4-A-1

Nepal Electricity Authority

Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 5: Grand Summary (Excluding Custom Duty and VAT applicable in Employer's Country)

Schedule No.	Title	Total Price					
Scriedule No.	Title	Foreign Currency	Local Currency				
1	Plant and Mandatory Spare Parts Supplied from Abroad						
2	Plant and Mandatory Spare Parts Supplied from Within the Employer's Country						
3	Design Services						
4	Installation and Other Services						
	Grand Total to be carried forward to Letter of Price Tender						

Name of Tenderer	
Signature of Tenderer	



4-A-2 Page 2 of 55

Nepal Electricity Authority


Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Project Component Wise Summary of Costs (Excluding Custom Duty and VAT applicable in Employer's Country)

Item	Description	Total Price						
itein	Description	Foreign Currency	Local Currency					
1	2	3	4					
1	SUBSTATION							
1.1	Plant and Mandatory Spare Parts Supplied from Abroad							
1.2	Plant and Mandatory Spare Parts Supplied from Within the Employer's Country							
1.3	Design Services							
1.4	Installation and Other Services							
1.4.1	Civil Works of Switchyard Components - Concrete Foundation as per technical specifications and approved design							
1.4.2	Installation Testing and Commissioning Works of Electrical Components of Substation							
1.4.3	Landscaping Works							
1.4.4	Building Works							
1.4.5	Roads and Drainage							
T-1	Sub Total of SUBSTATION							
2	33 kV FEEDER / TAP OFF STRUCTURE							
2.1	Plant and Mandatory Spare Parts Supplied from Abroad							
2.2	Plant and Mandatory Spare Parts Supplied from Within the Employer's Country							
2.3	Design Services							
2.4	Installation and Other Services							
2.4.1	Civil Works of Interconnection Components - Concrete Foundation as per technical specifications and approved design/drawings							
2.4.2	Installation Testing and Commissioning Works of Electrical Components of 33 kV feeder/Tap Off Structure							
T-2	Sub Total of 33 kV FEEDER / TAP OFF STRUCTURE							
3	33 kV Line							
3.1	Plant and Mandatory Spare Parts Supplied from Abroad							

Name of Tend	erer
Signature of	Tandarar



Section 4: Tender Forms 4-A-3

Nepal Electricity Authority


Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Project Component Wise Summary of Costs (Excluding Custom Duty and VAT applicable in Employer's Country)

Itam	Decarinties	Total Price					
Item	Description	Foreign Currency	Local Currency				
1	2	3	4				
3.2	Plant and Mandatory Spare Parts Supplied from Within the Employer's Country						
3.3	Design Services						
3.4	Installation and Other Services						
3.4.1	Installation, Testing and Commissioning Works and Civil Works						
T-3	Sub Total of 33 kV Line						
4	UNDERGROUND CABLE						
4.1	Plant and Mandatory Spare Parts Supplied from Abroad						
4.2	Plant and Mandatory Spare Parts Supplied from Within the Employer's Country						
4.3	Design Services						
4.4	Installation and Other Services						
4.4.1	Installation, Testing and Commissioning Works and Civil Works						
T-4	Sub Total of UNDERGROUND CABLE						
5	Environmental and Social Mitigation Works						
5.1	Mitigation Works						
T-5	Sub Total of Environmental and Social Mitigation Works						
Grand To	otal (Sum of T-1 T-5)						

Name of Tenderer _	
Signature of Tend	erer



4-A-4 Page 4 of 55

Nepal Electricity Authority

Distribution and Consumer Services Directorate


Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Summary of Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

Schedule No.	Title	Total Price				
Schedule No.	Title	Foreign Currency	Local Currency			
A.	SUBSTATION					
B.	33 kV FEEDER / TAP OFF STRUCTURE					
C.	33 kV LINE					
D.	UNDERGROUND CABLE					
	Grand Total to be carried forward to Schedule 5	-				

Name of Tenderer	
Signature of Tenderer	



Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

Item	LIGSCRIPTION		Unit	Unit Rate, CIP (Nepal Border)		Qu	antity		Total Quantity	Unit Rate		portation and Ins	urance, Local	Total, CIP (Nepal Border)	Total, Domestic Transportation and Insurance
		of Origin		Foreign Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	,	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Foreign Currency	Local Currency
1	2	3	4	5	Α	В	6 C	D	7 = Σ6	Α	В	8 C	D	9 = 5 x 7	10 = Σ(π(8 x 6))
A.	SUBSTATION								-					-	-
A.1	Power Transformers								-					-	-
	33/11 kV 12/16 MVA copper wound power transformer, CRGO core (with OLTC and RTCC Panel) complete with all accessories		set		-	-	-	-	-					-	-
	33/11 kV 6/8 MVA copper wound power transformer, CRGO core (with OLTC and RTCC Panel) complete with all accessories		set		-	2.00	-	-	2.00					-	-
;	33/11 kV 3 MVA copper wound power transformer, CRGO core		set		-	-	-	-	-					-	-
,	33/11 kV 1 MVA copper wound power transformer, CRGO core		set		1.00	-	1.00	1.00	3.00					-	-
									-					-	-
A.2	36 kV System								-					-	-
	36 kV, 630 A, 25 kA Outdoor Type, Vacuum Circuit Breaker with Accessories all Complete		set		1.00	4.00	1.00	2.00	8.00					-	-
:	36 kV, 630 A, 25 kA, isolator with earth switch including accessories all complete		set		2.00	8.00	2.00	4.00	16.00					-	-
;	36 kV, 40 A, Load Break Switch with accessories all complete		set		1.00	-	1.00	1.00	3.00					-	-
	36 kV, 4 A, Load Break Switch with accessories all complete		set		1.00	1.00	1.00	1.00	4.00					-	-
	Two Core Potential Transformer for 33 kV including fuse with accessories all complete as specified		set		2.00	3.00	2.00	3.00	10.00					-	-
	Three Core Current Transformer for 33 kV with accessories all complete as specified		set		1.00	4.00	1.00	2.00	8.00					-	-
	Two Core Bushing CT for 33/11 kV Power Transformer with accessories all complete as specified.		set		-	2.00	-	-	2.00					-	-
	Two Core CT for neutral side of 33/11 kV Power Transformer with accessories all complete as specified.		set		1.00	2.00	1.00	1.00	5.00					-	-
	30 kV, 10 kA, lighting arrestor with accessories all complete		set		3.00	5.00	3.00	4.00	15.00					-	-
10	33kV Outdoor Busbar (IPS tube, 800A) with required insulators and accessories as well as any cables necessary in 33 kV side all complete		set		1.00	1.00	1.00	1.00	4.00					-	-
1	33/11 kV Transformer Control and Protection Panel complete with all accessories as per specification		set		1.00	2.00	1.00	1.00	5.00					-	-
	33 kV Protection Control and Relay Panel complete with all accessories as per specification for Line Bays		set		1.00	2.00	1.00	2.00	6.00					-	-
1:	Marshalling Kiosk Box with Accessories all Complete (1 set refers to complete set in a substation)		set		1.00	1.00	1.00	1.00	4.00					-	-
									-					-	-
A.3	12 kV System								-					-	-

Name of Tenderer ______

Signature of Tenderer ______



Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

ltem	I Description	Country of Origin	l linit	Unit Rate, CIP (Nepal Border)	Quantity				Total Quantity	Unit Rate, Domestic Transportation and Insurance, Local Currency				Total, CIP (Nepal Border)	Total, Domestic Transportation and Insurance
				Foreign Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar		Foreign Currency	Local Currency
1	2	,					6		7 = Σ6			8		9 = 5 x 7	$10 = \Sigma(\pi(8 \times 6))$
'	2	3	*	3	Α	В	С	D	7 - 20	Α	В	С	D	9=3 % 7	10 - 2(11(8 x 6))
1	12 kV Indoor VCB, with Control and Relay Panel and CT / PT with accessories all complete as specified		set		3.00	11.00	3.00	3.00	20.00					-	-
2	12 kV, 25 kA, Indoor Earth Switch with accessories all complete as specified		set		2.00	8.00	2.00	2.00	14.00					-	-
3	9 kV, 10 kA, lighting arrestor with accessories all complete		set		3.00	10.00	3.00	3.00	19.00					-	-
									-					-	-

Name of Tenderer __

Signature of Tenderer_

Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

Item	Description	Country		Unit Rate, CIP (Nepal Border)		Qua	antity		Total Quantity	Unit Rate, Domestic Transportation and Insurance, Local Currency				Total, CIP (Nepal Border)	Total, Domestic Transportation and Insurance
		of Origin		Foreign Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	,	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Foreign Currency	Local Currency
1	2	3	4	5			6		7 = Σ6			8		9 = 5 x 7	10 = Σ(π(8 x 6))
	_		·		Α	В	С	D	. =•	Α	В	С	D	V=V	-((e x e))
A.4	Station Supply System								-					-	-
	1 33/0.4 kV 100 kVA station transformer		set		1.00	1.00	1.00	1.00	4.00					-	-
:	AC Distribution System Including Accessories all Complete as per specifications(1 set includes complete lot for substation including all buildings and constructions with necessary earthing works inside the substation)		set		1.00	1.00	1.00	1.00	4.00					-	-
	Portable Diesel Generator, 10 kVA, 400 V including grid interconnection setup, relay, control units and associated panels, as per specifications		set		1.00	1.00	1.00	1.00	4.00					-	-
									-					-	-
A.5	DC System								-					-	-
	250 Ah, 110 V maintenance free batteries including complete accessories		set		1.00	1.00	1.00	1.00	4.00					-	-
	Battery Charging unit (110 V) with accessories all complete		set		1.00	1.00	1.00	1.00	4.00					-	-
	DC Distribution System including accessories all complete as per specifications(1 set includes complete lot for substation)		set		1.00	1.00	1.00	1.00	4.00					-	-
A.6	Cables								<u>-</u>					-	-
	1 11 kV XLPE Cable 3 Core 300 sq mm (Armoured)		m		_	50.00	_		50.00						-
	2 11 kV XLPE Cable 3 Core 185 sq mm (Armoured)		m		25.00	500.00	25.00	25.00	575.00		+			<u> </u>	-
	3 11 kV XLPE Cable 3 Core 120 sq mm (Armoured)		m		50.00	- 300.00	50.00	50.00	150.00		+	 		_	_
	11 kV 3-core heat shrinkable Indoor Cable termination kit 185/300/120 sq mm		set		3.00	10.00	3.00	3.00	19.00					-	-
	11 kV 3-core heat shrinkable outdoor Cable termination kit 185/120 sq mm		set		3.00	10.00	3.00	3.00	19.00					-	-
	Control cables including accessories complete (1 set includes source bay and destination bay together)(1 set includes complete lot for substation)		set		1.00	1.00	1.00	1.00	4.00					-	-
	1.1 kV power and lighting cable, including DC circuitry for all works in the switchyard, outdoor lighting, beauty lighting all complete (1 set includes complete lot for substation)		set		1.00	1.00	1.00	1.00	4.00					-	-
									-					-	-
A.7	Automation and Control System - SCADA								-					-	-

Name of Tenderer __

Signature of Tenderer_



4-A-8 Page 8 of 55

Nepal Electricity Authority

Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

Item	Description	Country		Unit Rate, CIP (Nepal Border)		Qua	antity		Total Quantity	Unit Rate,	Domestic Transp	portation and Ins	urance, Local	Total, CIP (Nepal Border)	Total, Domestic Transportation and Insurance
	2333,	of Origin		Foreign Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	,	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Foreign Currency	Local Currency
1	2	3	4	5	Α	В	6 C	D	7 = Σ6	A	В	8 C	D	9 = 5 x 7	10 = Σ(π(8 x 6))
1	SCADA/ Automation Integration, Numerical relay cum Bay controller with other indicative/measuring instruments. SCADA system shall communicate with C & R panels, Bay Control Units of 33 kV Feeder, 11kV switchgear panel, battery charger, ACDB etc along with necessary hardware & Software & fibre optic cable etc. all complete with necessary accessories adhering to the Technical Specifications and requirement for the substation.(1 set includes complete lot for substation)		set		1.00	1.00	1.00	1.00	4.00					-	-
2	Desktop, i9, 10th generation or equivalent with 512 GB SSD and 1 GB HDD, 24 " two screen,		set		1.00	1.00	1.00	1.00	4.00					-	-
3	Laptop, with same configuration as desktop and 15 " screen		set		1.00	1.00	1.00	1.00	4.00					-	-
									-					-	-
A.8	Grounding System Switchyard Lightning Protection System, Earthing arrangement, Including protection for Control building and other structures inside the substation area as essential in the substation all complete(1 set includes complete lot for substation)		set		1.00	1.00	1.00	1.00	4.00					-	-
2	Lightning Mast		ton		0.07	0.14	0.07	0.07	0.35					-	-
									-					-	-
A.9	Illumination System Switchyard and Substation yard lighting with 36 W, IP 65 LED with at least 20 lux elsewhere and 200 lux at switchyard, as per site conditions all complete(1 set includes complete lot for substation)		set		1.00	1.00	1.00	1.00	4.00					-	-
A.10	Outdoor Gantry and Support Structures								-					-	-
	Gantry Column, Support Structures, Girder structures for 33/11 kV substation, all complete as per specifications for each sub-project		ton		3.47	7.53	3.47	6.00	20.47					-	-
2	Chequered Plate for Cable Trench in Control Building of thickness as mentioned in Technical Specification with accessories all complete as for specifications		ton		0.67	0.67	0.67	0.67	2.66					-	-
A 4.4	Ad IV Overhead Line Feeder C								-					-	-
A.11	11 kV Overhead Line Feeder Components 9 kV, 10 kA, Pole Mounted lighting arrestor with accessories								-					-	-
1	all complete		set		2.00	8.00	2.00	2.00	14.00					-	-
2	Pole Mounted Isolator, for 11 kV with accessories all complete		set		2.00	8.00	2.00	2.00	14.00					-	-
A 40	CDADE DADTO								-					-	-
A.1Z	SPARE PARTS								-					-	-

Name of Tenderer ______



Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

Item	Description	Country		Unit Rate, CIP (Nepal Border)	der) Quantity Total 0			Total Quantity	Unit Rate,	Domestic Transp	portation and Ins	urance, Local	Total, CIP (Nepal Border)	Total, Domestic Transportation and Insurance	
	·	of Origin		Foreign Currency	Malarani Pipledanda	Kohalpur Machhagadh		Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Foreign Currency	Local Currency
1	2	3	4	5			6		7 = Σ6			8		9 = 5 x 7	10 = Σ(π(8 x 6))
					Α	В	С	D		Α	В	С	D		. ((, , , , , , , , , , , , , , , , ,
A.12.1	For Transformers								-					-	-
1	33 kV and 11 kV Bushing(one of each type)		set		1.00	1.00	1.00	1.00	4.00					-	-
2	Dial type Thermometers		set		1.00	1.00	1.00	1.00	4.00					-	-
3	Oil Level Gauges		set		1.00	1.00	1.00	1.00	4.00					-	-
4	Insulating Oil (10% of total supply)		set		1.00	1.00	1.00	1.00	4.00					-	-
5	Indicating Lamps (25% of used)		set		1.00	1.00	1.00	1.00	4.00					-	-
	All types of Fuses (25% of used)		set		1.00	1.00	1.00	1.00	4.00					-	-
7	Complete set of Gaskets of each type		set		1.00	1.00	1.00	1.00	4.00					-	-
8	Complete set of Pressure Relief Devices		set		1.00	1.00	1.00	1.00	4.00					-	-
	All type of Auxiliary, Relays, Contactors and Timers for control, protection and cooling circuit(one of each type)		set		1.00	1.00	1.00	1.00	4.00					-	-
10	OLTC Motor Contactor		set		1.00	1.00	1.00	1.00	4.00					-	-
11	Complete set of Buchholz relay		set		1.00	1.00	1.00	1.00	4.00					-	-
12	OLTC motor		set		1.00	1.00	1.00	1.00	4.00					-	-
13	Motors for mechanism of each type		set		1.00	1.00	1.00	1.00	4.00					-	-

Name of Tenderer _____

Signature of Tenderer_____



4-A-10 Page 10 of 55

Nepal Electricity Authority

Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

Item	Description	Country		Unit Rate, CIP (Nepal Border)		Qua	antity		Total Quantity	Unit Rate	, Domestic Trans Cu	portation and Ins	urance, Local	Total, CIP (Nepal Border)	Total, Domestic Transportation and Insurance
		of Origin		Foreign Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Foreign Currency	Local Currency
1	2	3	4	5			6		7 = Σ6			8		9 = 5 x 7	10 = Σ(π(8 x 6))
					Α	В	С	D		Α	В	С	D		. ((, , , , , , , , , , , , , , , , ,
1.10.0									-					-	-
	For 33 kV Circuit Breaker				1.00	1.00	1.00	0.00	-					-	-
	Tripping Coils		set		1.00	4.00	1.00	2.00	8.00					-	-
	Closing Coils		set		1.00	4.00	1.00	2.00	8.00					-	-
	Relays and Contactors (One of each type)		set		1.00	1.00	1.00	1.00	4.00					-	-
	Motors for Mechanism		set		1.00	4.00	1.00	2.00	8.00					-	-
ļ	5 Interrupter for VCB		set		1.00	4.00	1.00	2.00	8.00					-	-
Δ 12 3	For 33 kV Disconnecting Switch								-					-	-
7.12.3	Porcelain insulator		set		2.00	8.00	2.00	4.00	16.00					_	_
	Main contact assemblies including grounding blades		set		2.00	8.00	2.00	4.00	16.00					<u> </u>	
	Auxilliary contacts		set		2.00	8.00	2.00	4.00	16.00				 	-	_
	Interlocking Coil		set		2.00	8.00	2.00	4.00	16.00					_	-
	This rise starting con				2.00	0.00	2.00	1.00	-					_	-
A.12.4	For 33 kV Instrument Transformers								-					-	-
	Two Core Potential Transformer for 33 kV including fuse with														
1	accessories all complete as specified (1 Set = 3 Phase)		set		1.00	1.00	1.00	1.00	4.00					-	-
	Three Core Current Transformer for 33 kV with accessories														
2	all complete as specified (1 Set = 3 Phase)		set		1.00	1.00	1.00	1.00	4.00					-	-
									-					-	-
A.12.5	Lightning Arrestor								-					-	-
	30 kV Lightning Arrestor (1 Set = 3 Phase)		set		1.00	1.00	1.00	1.00	4.00					-	-
	9 kV Lightning Arrestor (1 Set = 3 Phase)		set		1.00	1.00	1.00	1.00	4.00					-	-
									-					-	-
A.12.6	For 33 kV Control & Relay panel								-					-	-
•	Indicating Lamps (50% of used)		set		1.00	1.00	1.00	1.00	4.00					-	-
2	Fuses of each type(50% of used)		set		1.00	1.00	1.00	1.00	4.00					-	-
	Color Caps of each color for indicating lamps (30% of used)		set		1.00	1.00	1.00	1.00	4.00					-	-
4	One of each type of Switch, Timer and other special devices		set		1.00	1.00	1.00	1.00	4.00					-	-
	3 Phase Over Current Relays with Earthfault Inbuilt		set		1.00	1.00	1.00	1.00	4.00					-	-
(3 Phase Transformer Differential Relays		set		1.00	1.00	1.00	1.00	4.00					-	-
7	Each type of Auxiliary Relay		set		1.00	1.00	1.00	1.00	4.00					-	-
8	3 Ammeter		set		1.00	1.00	1.00	1.00	4.00					-	-
9	Voltmeter		set		1.00	1.00	1.00	1.00	4.00					-	-
									-					-	-
A.12.7	Communication/SCADA								-					-	-
	Input Output Cards/Attribute Cards, (50% of used)		set		1.00	1.00	1.00	1.00	4.00					-	-
									-					-	-
	110 V Battery Charger								-					-	-
	Fuses of each type(50% of used)		set		1.00	1.00	1.00	1.00	4.00					-	-
	Indicating Lamp (50% of used)		set		1.00	1.00		1.00	4.00					-	-
3	One of each type of Switch, Timer and other special devices		set		1.00	1.00	1.00	1.00	4.00					-	-

Name of Tenderer _______

Signature of Tenderer ______



Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

Item	Description	Country of Origin	l linit	Unit Rate, CIP (Nepal Border)		Qua	antity		Total Quantity	Unit Rate,	Domestic Transp Cui	portation and Ins	urance, Local	Total, CIP (Nepal Border)	Total, Domestic Transportation and Insurance
		or Origin		Foreign Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Foreign Currency	Local Currency
				Currency	ripiedanda	Iwaciiiagauii	<u> Бааневнараг</u> 6	Oualtai		ripieuariua	Waciiiagauii	8	Odaitai		
1	2	3	4	5	Α	В	С	D	7 = Σ6	Α	В	С	D	9 = 5 x 7	$10 = \Sigma(\pi(8 \times 6))$
4	Ammeter		set		1.00	1.00	1.00	1.00	4.00					-	-
5	Voltmeter		set		1.00	1.00	1.00	1.00	4.00					-	-
									-					-	-
A.12.9	For 11 kV Circuit Breakers								-					-	-
1	Complete set of replacable vacuum chambers		set		1.00	1.00	1.00	1.00	4.00					-	-
2	Set of Tripping, closing and auxilliary coils		set		1.00	1.00	1.00	1.00	4.00					-	-
3	Over current/Earth fault relay		set		1.00	1.00	1.00	1.00	4.00					-	-
4	12 kV Current Transformer		set		1.00	1.00	1.00	1.00	4.00					-	-
6	12 kV Potential Transformer		set		1.00	1.00	1.00	1.00	4.00					-	-
	Spring Charge Motor		set		1.00	1.00	1.00	1.00	4.00					-	_
8	VCB Breaker Trollery		set		1.00	1.00	1.00	1.00	4.00					-	-

Name of Tenderer __

Signature of Tenderer_




Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

Item	Description	Country of Origin	Unit	Unit Rate, CIP (Nepal Border)		Qua	antity		Total Quantity	Unit Rate,	Domestic Transp Cur	portation and Ins	urance, Local	Total, CIP (Nepal Border)	Total, Domestic Transportation and Insurance
		of Origin		Foreign Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Foreign Currency	Local Currency
1	2	3	4	5			6		7 = Σ6			8		9 = 5 x 7	10 = Σ(π(8 x 6))
_					Α	В	С	D		Α	В	С	D		
B. B.1	33 kV FEEDER / TAP OFF STRUCTURE								-					-	-
B.1	Interconnection System								-					-	-
1	36 kV, 630 A, 25 kA Outdoor Type, Vacuum Circuit Breaker with Accessories all Complete		set		1.00	1.00	1.00	-	3.00					-	-
2	36 kV, 630 A, 25 kA, isolator with earth switch including accessories all complete		set		2.00	2.00	2.00	-	6.00					-	-
	36 kV, 400 A/300 A Load Break Switch with accessories all complete		set		-	-	-	-	-					-	-
4	30 kV, 10 kA, lighting arrestor with accessories all complete		set		1.00	1.00	1.00	1.00	4.00					-	-
5	Three Core Current Transformer for 33 kV with accessories all complete as specified		set		1.00	1.00	1.00	1.00	4.00					-	-
6	Two Core Potential Transformer for 33 kV including fuse with accessories all complete as specified		set		1.00	1.00	1.00	1.00	4.00					-	-
7	, Miscellaneous fitting accessories, ACSR Conductors and all accessories required for the tapping and bay extension work		set		1.00	1.00	1.00	1.00	4.00					-	-
8	Marshalling Kiosk Box with Accessories all Complete for placement at tapping point		set		1.00	1.00	1.00	-	3.00					-	-
B.2	Structures, insulators and busbars - For Bay								-					-	-
1	33 kV pin insulators with supporting structures all complete		set		3.00	-	-	-	3.00					-	-
2	Gantry Column, Girder structures for 33/11 kV substation, all complete as per specifications for each sub-project		ton		0.65	0.65	0.65	-	1.96					-	-
3	33 kV outdoor bus bars (IPS tube, 800A) with all required insulators and complete accessories for bay extention, all complete		set		1.00	1.00	1.00	-	3.00					-	-
4	36W, IP 65 Outdoor light for installation at Tap off Point/Switchyard/LILO point		set		1.00	1.00	1.00	1.00	4.00					-	-
B.3	Spare Parts								-					-	-
	Load Break Switch								-					-	-
1	Complete Set of Load Break Switch used with Storage Compartment		set		-	-	-	-	-					-	-





Section 4: Tender Forms

Nepal Electricity Authority

Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

Item	Description	Country	Unit	Unit Rate, CIP (Nepal Border)		Quantity		Total Quantity	Unit Rate,	Domestic Transp	portation and Ins	urance, Local	Total, CIP (Nepal Border)	Total, Domestic Transportation and Insurance	
item	Description	of Origin	Onit	Foreign Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	•	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Foreign Currency	Local Currency
1	2	3	4	5			6		7 = Σ6			8		9 = 5 x 7	10 = Σ(π(8 x 6))
-					Α	В	С	D		Α	В	С	D		
	33 kV Line								-					-	-
C.1	Conductors								-					-	-
	Overhead ACSR WOLF Conductor, 150 sq mm. with 5% Sag		kms.		-	146.14	-	-	146.14					-	-
2	Overhead ACSR DOG Conductor, 100 sq mm. with 5% Sag		kms.		34.59	-	68.60	1.41	104.60					-	-
3	ADSS Cable with 5% sag,approach cable and support structure (Clamp, nut bolts, shackle insulators all) all complete as per specifications for SCADA of Tapping Point to Substation and facility for data transfer to other substation in future		kms.		11.53	24.36	22.87	0.24	58.99					-	-
4	Mid-Span Joining Sleeve (Covered Conductor. rated min 500A)		nos.		24.00	49.00	46.00	1.00	120.00					-	-
0.0									-					-	-
C.2	Poles and accessories								-					-	-
	Single Circuit Structure and Accessories 11 M Steel Tubular Pole		200		322.00		590.00		912.00					-	-
	Back Strap		nos.		690.00	-	1,356.00	-	2,046.00					-	-
	Bolts with suitable nuts and washers (M16 x 100 mm)		nos.		1,812.00	-	3,340.00	-	5,152.00		-			-	-
	Bolts with suitable nuts and washers (M16 x 235 mm)		nos.		140.00		268.00	-	408.00			+		-	-
	Bolts with suitable nuts and washers (M16 x 50 mm)		nos.		544.00		980.00	-	1,524.00			+		-	-
	Disc Type Insulator, set of three for 33 kV		nos.		690.00		1,356.00	-	2,046.00			+		-	-
	Flat Crossarm Brace 33 kV (50 x 6 x 666 mm)		nos.		404.00		712.00	-	1,116.00					_	_
	Insulator Pin for Pin Insulator of 33 kV		nos.		786.00		1,419.00	-	2,205.00					_	_
	PG Clamp for ACSR DOG/WOLF		nos.		345.00		678.00	-	1,023.00					-	-
	Pin Type Insulator for 33 kV		nos.		786.00	_	1,419.00	-	2,205.00			 		-	-
	Pole Clamp with Nut, bolt and washers (TC1) with channel and support structures all complete as per design and drawings		nos.		502.00	-	958.00	-	1,460.00					-	-
12	Pole Clamp with Nut, bolt and washers (TC2) with channel and support structures all complete as per design and drawings		nos.		404.00	-	712.00	-	1,116.00					-	-
13	Pole Clamp with Nut, bolt and washers, Bottom Bracing (TC5) with channel and support structures all complete as per design and drawings		nos.		90.00	-	184.00	-	274.00					-	-
	Pole Clamp with Nut, bolt and washers, Top Bracing (TC4) with channel and support structures all complete as per design and drawings		set		90.00	-	184.00	-	274.00					-	-
	Preformed Pin Ties, Top Ties		set		786.00		1,419.00	-	2,205.00					-	-
	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 1800 mm)		nos.		70.00		134.00		204.00					-	-
17	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 1900 mm)		set		132.00	-	222.00	-	354.00					-	-

Name of Tenderer ______



4-A-14 Page 14 of 55

Nepal Electricity Authority

Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

Item	Description	Country	Unit	Unit Rate, CIP (Nepal Border)		Qua	antity		Total Quantity	Unit Rate,	Domestic Transp	portation and Ins	urance, Local	Total, CIP (Nepal Border)	Total, Domestic Transportation and Insurance
item	Description	of Origin	Onit	Foreign Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Total Quantity	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Foreign Currency	Local Currency
1	2	3	4	5			6		7 = Σ6			8		9 = 5 x 7	10 = Σ(π(8 x 6))
			,		A	В	С	D		Α	В	С	D	0-071	10 Z(!!(0 X 0))
	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 2416 mm)		nos.		45.00	-	92.00	-	137.00					-	-
	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 2919 mm)		nos.		90.00	-	184.00	-	274.00					-	-
	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 3300 mm)		nos.		60.00	-	117.00	-	177.00					-	-
	Strap for Insulator String for 33 kV (100 x 5 x 350 mm)		nos.		135.00	-	276.00	-	411.00					-	-
	Tension Set with Ball and Socket Eye		nos.		690.00	-	1,356.00	-	2,046.00					-	-
	Double Circuit Structure and Accessories								-					-	-
	13 m Steel Tubular Pole		nos.		-	546.00	-	9.00	555.00					-	-
	Back Strap		nos.		-	1,632.00	-	60.00	1,692.00					-	-
	Bolts with suitable nuts and washers (M16 x 100 mm)		nos.		-	6,048.00	-	96.00	6,144.00					-	-
	Bolts with suitable nuts and washers (M16 x 235 mm)		nos.		-	690.00	-	12.00	702.00					-	-
	Bolts with suitable nuts and washers (M16 x 50 mm)		nos.		-	1,992.00	-	21.00	2,013.00					-	-
	Disc Type Insulator, set of three for 33 kV		nos.		-	1,632.00	-	60.00	1,692.00					-	-
	Flat Crossarm Brace 33 kV (50 x 6 x 666 mm)		nos.		-	2,604.00	-	18.00	2,622.00					-	-
	Insulator Pin for Pin Insulator of 33 kV		set		-	2,940.00	-	36.00	2,976.00					-	-
	PG Clamp for ACSR DOG/WOLF		set		-	816.00	-	30.00	846.00					-	-
10	Pin Type Insulator for 33 kV		nos.		-	2,940.00	-	36.00	2,976.00					-	-
11	Pole Clamp with Nut, bolt and washers (TC1) with channel and support structures all complete as per design and drawings		set		-	1,638.00	-	27.00	1,665.00					-	-
12	Pole Clamp with Nut, bolt and washers (TC2) with channel and support structures all complete as per design and drawings		nos.		-	1,302.00	-	9.00	1,311.00					-	-
13	Pole Clamp with Nut, bolt and washers, Bottom Bracing (TC5) with channel and support structures all complete as per design and drawings		nos.		-	42.00	-	6.00	48.00					-	-
	Pole Clamp with Nut, bolt and washers, Top Bracing (TC4) with channel and support structures all complete as per design and drawings		nos.		-	42.00	-	6.00	48.00					-	-
	Preformed Pin Ties, Top Ties		nos.		-	2,940.00	-	36.00	2,976.00					-	-
	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 1600 mm)		nos.		-	21.00	-	3.00	24.00					-	-
	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 1640 mm)		nos.		-	21.00	-	3.00	24.00					-	-
	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 1700 mm)		nos.		-	1,773.00	-	33.00	1,806.00					-	-
	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 2500 mm)		nos.		-	105.00	-	-	105.00					-	-
	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 2610 mm)		nos.		-	42.00	-	6.00	48.00					-	-
	Strap for Insulator String for 33 kV (100 x 5 x 350 mm)		nos.		-	126.00	-	18.00	144.00					-	-
	Tension Set with Ball and Socket Eye		nos.		-	1,632.00	-	60.00	1,692.00					-	-
C.2	Stay Set								-					-	-
1	Pole Clamp with Nut, bolt and washers (TC3) use for 11 m Steel Tubular Pole with channel and support structures all complete as per design and drawings		nos.		150.00	75.00	287.00	4.00	516.00					-	-

Name of Tenderer	
Signature of Tenderer	



Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

Item	Description	Country		Unit Rate, CIP (Nepal Border)		Qua	antity		Total Quantity	Unit Rate,	-	portation and Ins	urance, Local	Total, CIP (Nepal Border)	Total, Domestic Transportation and Insurance
		of Origin		Foreign Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	,	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Foreign Currency	Local Currency
1	2	3	4	5			6		7 = Σ6			8		9 = 5 x 7	10 = Σ(π(8 x 6))
					Α	В	С	D	. 20	Α	В	С	D	0-07.	10 Z(!!(0 x 0))
	Pole Clamp with Nut, bolt and washers (TC3) use for 13 m or 14.5 m Steel Tubular Pole with channel and support structures all complete as per design and drawings		nos.		-	-	-	-	-					-	-
	3 Bolts with suitable nuts and washers (M16 x 50 mm)		nos.		300.00	150.00	574.00	8.00	1,032.00					-	-
	4 Bolts with suitable nuts and washers (M16 x 100 mm)		nos.		300.00	150.00	574.00	8.00	1,032.00					-	-
	5 Stay Wire, (7/10 SWG minimum)		kg		1,500.00	750.00	2,870.00	40.00	5,160.00					-	-
	6 Stay/Guy Insulator		nos.		150.00	75.00	287.00	4.00	516.00					-	-
	7 Stay Turn Buckle including Thimble, (18 SWG minimum)		nos.		150.00	75.00	287.00	4.00	516.00					-	-
	8 Stay I bolt, (12 inch minimum)		0		150.00	75.00	287.00	4.00	516.00					-	-
	9 Stay I Rod/Anchor Rod, (minimum 1600 mm)		nos.		150.00	75.00	287.00	4.00	516.00					-	-
1	0 Bow set with Thimble		nos.		150.00	75.00	287.00	4.00	516.00					-	-
1	1 Stay Grip		nos.		150.00	75.00	287.00	4.00	516.00					-	-
1	2 Galvanized Steel Stay Plate for Installation Underground, (600 x 600 x 6 mm minimum)		nos.		150.00	75.00	287.00	4.00	516.00					-	-
									-						-
C.3	Special Components								-						-
	1 14.5 m Steel Tubular Pole		nos.		1.00	1.00	1.00	1.00	4.00						-
	Special 33 kV gantry type tower for river/road/valley crossings(approx span 350 m), all complete including body extensions of 9m, tower earthing material, tower accessories - Anti Climbing Device, Bird Guards, Plates (Danger, Number, Phase, Circuit)		ton		-	-	5.40	-	5.40						-
	Bird Guard in Poles as per project requirement (1 set consists of complete set required for a pole)		set		5.00	20.00	5.00	5.00	35.00						-

Name of Tenderer _____

Signature of Tenderer_____



Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

Item	Description	Country of Origin		Unit Rate, CIP (Nepal Border)	Quantity Malarani Kohalpur Babiyachaur Baddichaur		Total Quantity	Unit Rate,	-	oortation and Ins	urance, Local	Total, CIP (Nepal Border)	Total, Domestic Transportation and Insurance		
		or Origin		Foreign Currency	Malarani Pipledanda	Kohalpur Machhagadh		Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Foreign Currency	Local Currency
1	2	3	4	5	Δ.	В	6 C	D	7 = Σ6		В	8 C	D	9 = 5 x 7	10 = Σ(π(8 x 6))
D.	Under Ground Cable				_ A	В			-	_ ^	В			-	-
	33kV Underground Power Cable (Al conductor, XLPE insulated, 400 sq.mm., Single core, armoured)		kms		-	17.16	-	-	17.16					-	-
2	48 Core ADSS Cable for Underground Installation along the length of UGC		kms		-	2.60	-	-	2.60					-	-
	36kV Straight Through Joints (single - core 3 nos. per set) 3 including all accessories complete		set		-	6.00	-	-	6.00					-	-
4	33kV Cable Termination Kit Outdoor Type (single - core 3 nos. per set) including all accessories complete		set		-	2.00	-	-	2.00					-	-
5	Flexible Pipe (225mm dia) for laying Single Core UG Cable, ADSS Cable including all accessories complete		kms		-	2.60	-	-	2.60					-	-
6	HDPE Pipe (225mm dia, 6kg) for laying Single Core UG Cable, ADSS Cable at road crossings including all accessories complete		kms		-	2.60	-	-	2.60					-	-
7	Sheath Voltage Limitor including all accessories complete (3 Nos. per set)		set		-	2.00	-	-	2.00					-	-
8	33kV Power Fuse (Drop Out Type) including all accessories complete		set		-	2.00	-	-	2.00					-	-
9	30 kV, 10 kA Pole Mounted Lightning Arrester including all accessories complete		set		-	2.00	-	-	2.00					-	-

Name of Tenderer _ Signature of Tenderer_



Section 4: Tender Forms 4-A-17

Nepal Electricity Authority

Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Summary of Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Schedule No.	Title	Total	Price
Scriedale No.	Title	Foreign Currency	Local Currency
A.	SUBSTATION		
B.	33 kV FEEDER / TAP OFF STRUCTURE		
C.	33 kV LINE		
D.	UNDERGROUND CABLE		
	Grand Total to be carried forward to Schedule 5	-	-

Name of Tenderer	
Signature of Tenderer	

Procurement of Plant

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	Description	Unit	Unit Rate, EXWorks		Qu	antity		Total Quantity	Unit Rate,		oortation and Insurency	urance, Local	Total EXW Price	Total, Domestic Transportation and Insurance	Total Price
			Local Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency
1	2	3	4	Α	В	5 C	D	6 = Σ5	Α	В	7 C	D	8 = 4 x 6	9 = Σ(π(5 x 7))	10 = 8 + 9
A.	SUBSTATION														
A.1	Power Transformers														
1	33/11 kV 12/16 MVA copper wound power transformer, CRGO core (with OLTC and RTCC Panel) complete with all accessories	set		-	-	-	-								
2	33/11 kV 6/8 MVA copper wound power transformer, CRGO core (with OLTC and RTCC Panel) complete with all accessories	set		-	2.00	-	-								
	33/11 kV 3 MVA copper wound power transformer, CRGO core	set		-	-	-	-								
4	33/11 kV 1 MVA copper wound power transformer, CRGO core	set		1.00	-	1.00	1.00								
-															
	36 kV System														
1	36 kV, 630 A, 25 kA Outdoor Type, Vacuum Circuit Breaker with Accessories all Complete	set		1.00	4.00	1.00	2.00								
2	36 kV, 630 A, 25 kA, isolator with earth switch including accessories all complete	set		2.00	8.00	2.00	4.00								
	36 kV, 40 A, Load Break Switch with accessories all complete	set		1.00	-	1.00	1.00								
4	accessories all complete	set		1.00	1.00	1.00	1.00								
5	Two Core Potential Transformer for 33 kV including fuse with accessories all complete as specified	set		2.00	3.00	2.00	3.00								
	Three Core Current Transformer for 33 kV with accessories all complete as specified	set		1.00	4.00	1.00	2.00								
7	Two Core Bushing CT for 33/11 kV Power Transformer with accessories all complete as specified.	set		-	2.00	-	-								

Name of Tenderer
Signature of Tenderer



Single-Stage: Two-Envelope

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	Description	Description Unit EXWorks			Qua	antity		Total Quantity	Unit Rate	, Domestic Transp Cur	oortation and Instrency	urance, Local	Total EXW Price	Total, Domestic Transportation and Insurance	Total Price
			Local Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency
1	2	3	4	Α	В	5 C	D	6 = Σ5	Α	В	7 C	D	8 = 4 x 6	$9 = \Sigma(\pi(5 \times 7))$	10 = 8 + 9
8	specified.	set		1.00	2.00	1.00	1.00			-		_			
9	30 kV, 10 kA, lighting arrestor with accessories all complete	set		3.00	5.00	3.00	4.00								
10	33kV Outdoor Busbar (IPS tube, 800A) with required insulators and accessories as well as any cables necessary in 33 kV side all complete	set		1.00	1.00	1.00	1.00								
11	33/11 kV Transformer Control and Protection Panel complete with all accessories as per specification	set		1.00	2.00	1.00	1.00								
12	33 kV Protection Control and Relay Panel complete with all accessories as per specification for Line Bays	set		1.00	2.00	1.00	2.00								
13	Marshalling Kiosk Box with Accessories all Complete (1 set refers to complete set in a substation)	set		1.00	1.00	1.00	1.00								
A.3	12 kV System														
1	12 kV Indoor VCB, with Control and	set		3.00	11.00	3.00	3.00								
	specified	set		2.00	8.00	2.00	2.00								
3	9 kV, 10 kA, lighting arrestor with accessories all complete	set		3.00	10.00	3.00	3.00								

Name of Tenderer	
Signature of Tenderer_	



Re-Tender No.:ICB-DCSD-2078/79-DSUEP-AIIB-W5 Procurement of Plant Single-Stage: Two-Envelope

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	Description	Unit	Unit Rate, EXWorks			antity		Total Quantity	Unit Rate,		rency		Total EXW Price	Total, Domestic Transportation and Insurance	Total Price
			Local Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency
1	2	3	4	Α	5 B C D		6 = Σ5	Σ5 Α Β		/ C D		8 = 4 x 6	$9 = \Sigma(\pi(5 \times 7))$	10 = 8 + 9	
A.4	Station Supply System														
1	33/0 4 kV 100 kVA station	set		1.00	1.00	1.00	1.00								
2	AC Distribution System Including Accessories all Complete as per specifications(1 set includes complete lot for substation including all buildings and constructions with necessary earthing works inside the substation)	set		1.00	1.00	1.00	1.00								
3	Portable Diesel Generator, 10 kVA, 400 V including grid interconnection setup, relay, control units and associated panels, as per specifications	set		1.00	1.00	1.00	1.00								
A.5	DC System														
	250 Ah, 110 V maintenance free	set		1.00	1.00	1.00	1.00								
2	Battery Charging unit (110 V) with accessories all complete	set		1.00	1.00	1.00	1.00								
3	DC Distribution System including accessories all complete as per specifications(1 set includes complete lot for substation)	set		1.00	1.00	1.00	1.00								
	Cables														
1	mm (Armoured)	m		-	50.00	-	-								
	mm (Armoured)	m		25.00	500.00	25.00	25.00								
3	mm (Armoured)	m		50.00	-	50.00	50.00								
	11 kV 3-core heat shrinkable Indoor Cable termination kit 185/300/120 sq mm	set		3.00	10.00	3.00	3.00								

Name of Tenderer
Signature of Tenderer



Section 4: Tender Forms 4-A-21

Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	Description	Unit	Unit Rate, EXWorks					Unit Rate, Domestic Transportation and Insurance, Local Currency					Total EXW Price	Total, Domestic Transportation and Insurance	Total Price
	·	Local Currer		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	-	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency
1	2	3	4			5	ı	6 = Σ5			7		8 = 4 x 6	$9 = \Sigma(\pi(5 \times 7))$	10 = 8 + 9
	11 kV 3-core heat shrinkable			Α	В	С	D		A	В	С	D	-		
5		set		3.00	10.00	3.00	3.00								
6	Control cables including accessories complete (1 set includes source bay and destination bay together)(1 set includes complete lot for substation)	set		1.00	1.00	1.00	1.00								
7	1.1 kV power and lighting cable, including DC circuitry for all works in the switchyard, outdoor lighting, beauty lighting all complete (1 set includes complete lot for substation)	set		1.00	1.00	1.00	1.00								
A.7	Automation and Control System - SCADA														
1	SCADA/ Automation Integration, Numerical relay cum Bay controller with other indicative/measuring instruments. SCADA system shall communicate with C & R panels, Bay Control Units of 33 kV Feeder, 11kV switchgear panel, battery charger, ACDB etc along with necessary hardware & Software & fibre optic cable etc. all complete with necessary accessories adhering to the Technical Specifications and requirement for the substation.(1 set includes complete lot for substation)	set		1.00	1.00	1.00	1.00								
2	Desktop, i9, 10th generation or equivalent with 512 GB SSD and 1 GB HDD, 24 " two screen,	set		1.00	1.00	1.00	1.00								
3	Lanton with same configuration as	set		1.00	1.00	1.00	1.00								

Name of Tenderer	
0	
Signature of Tenderer_	



Re-Tender No.:ICB-DCSD-2078/79-DSUEP-AIIB-W5 Procurement of Plant

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	Description	Unit	Unit Rate, EXWorks		Qua	antity		Total Quantity	Unit Rate,	Domestic Transp Cur	ortation and Insurency	urance, Local	Total EXW Price	Total, Domestic Transportation and Insurance	Total Price
			Local Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency
1	2	3	4	A	В	5 C	D	6 = Σ5	A	В	7 C	D	8 = 4 x 6	$9 = \Sigma(\pi(5 \times 7))$	10 = 8 + 9
A.8	Grounding System														
1	Switchyard Lightning Protection System, Earthing arrangement, Including protection for Control building and other structures inside the substation area as essential in the substation all complete(1 set includes complete lot for substation)			1.00	1.00	1.00	1.00								
2	Lightning Mast	ton		0.07	0.14	0.07	0.07								
A 0	Illumination System														
A.9	Illumination System														
1	Switchyard and Substation yard lighting with 36 W, IP 65 LED with at least 20 lux elsewhere and 200 lux at switchyard, as per site conditions all complete(1 set includes complete lot for substation)	set		1.00	1.00	1.00	1.00								
Δ 111	Outdoor Gantry and Support Structures														
1	Gantry Column, Support Structures,	ton		3.47	7.53	3.47	6.00								
2	Chequered Plate for Cable Trench in Control Building of thickness as mentioned in Technical Specification with accessories all complete as for specifications	ton		0.67	0.67	0.67	0.67								
Δ11	11 kV Overhead Line Feeder Components														
1	9 kV, 10 kA, Pole Mounted lighting	set		2.00	8.00	2.00	2.00								

Name of Tenderer
Signature of Tenderer



Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	em Description		Unit Rate, EXWorks		Qua	antity		Total Quantity					Total EXW Price	Total, Domestic Transportation and Insurance	Total Price
			Local Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency
1	2	3	4		:	5		6 = Σ5	7				8 = 4 x 6	$9 = \Sigma(\pi(5 \times 7))$	10 = 8 + 9
·	_		·	A	В	С	D		A	В	С	D	0-120	-((o x 1/)	.0-010
2	Pole Mounted Isolator, for 11 kV	set		2.00	8.00	2.00	2.00								
	with accessories all complete	361		2.00	0.00	2.00	2.00								
	SPARE PARTS														
	For Transformers														
1	33 kV and 11 kV Bushing(one of	set		1.00	1.00	1.00	1.00								
	each type)	361													
		set		1.00	1.00	1.00	1.00								
	5	set		1.00	1.00	1.00	1.00								
	<u> </u>	set		1.00	1.00	1.00	1.00								
		set		1.00	1.00	1.00	1.00								
6	7. , ,	set		1.00	1.00	1.00	1.00								
7	ITVNA	set		1.00	1.00	1.00	1.00								
8	Complete set of Pressure Relief Devices	set		1.00	1.00	1.00	1.00								
9	All type of Auxiliary, Relays, Contactors and Timers for control, protection and cooling circuit(one of each type)	set		1.00	1.00	1.00	1.00								
10	OLTC Motor Contactor	set		1.00	1.00	1.00	1.00								
11	Complete set of Buchholz relay	set		1.00	1.00	1.00	1.00								
12	OLTC motor	set		1.00	1.00	1.00	1.00								
13	Motors for mechanism of each type	set		1.00	1.00	1.00	1.00								

Nam	e of Tenderer	
Sig	nature of Ten	derer



Re-Tender No.:ICB-DCSD-2078/79-DSUEP-AIIB-W5 Procurement of Plant Single-Stage: Two-Envelope

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	Description	Unit	Unit Rate, EXWorks		Qua	antity		Total Quantity	Unit Rate	, Domestic Transp Cu	oortation and Ins	urance, Local	Total EXW Price	Total, Domestic Transportation and Insurance	Total Price
	·		Local Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	-	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency
1	2	3	4	A	В	5 C	D	6 = Σ5	Α	В	7 C	D	8 = 4 x 6	9 = Σ(π(5 x 7))	10 = 8 + 9
A 40 0	For 22 LV Circuit Brooker														
	For 33 kV Circuit Breaker Tripping Coils	aat		1.00	4.00	1.00	2.00								
		set set		1.00	4.00	1.00	2.00								
2	Relays and Contactors (One of	set		1.00	1.00	1.00	1.00								
4	Motors for Mechanism	set		1.00	4.00	1.00	2.00								
5	Interrupter for VCB	set		1.00	4.00	1.00	2.00								
A.12.3	For 33 kV Disconnecting Switch														
		set		2.00	8.00	2.00	4.00								
2	Main contact assemblies including grounding blades	set		2.00	8.00	2.00	4.00								
	Auxilliary contacts	set		2.00	8.00	2.00	4.00								
4	Interlocking Coil	set		2.00	8.00	2.00	4.00								
A.12.4	For 33 kV Instrument Transformers														
1	Two Core Potential Transformer for 33 kV including fuse with accessories all complete as specified (1 Set = 3 Phase)	set		1.00	1.00	1.00	1.00								
2	Three Core Current Transformer for 33 kV with accessories all complete as specified (1 Set = 3 Phase)	set		1.00	1.00	1.00	1.00								
A 12 5	Lightning Arrestor														
	30 kV Lightning Arrestor (1 Set - 3	set		1.00	1.00	1.00	1.00								
2	9 kV Lightning Arrestor (1 Set - 3	set		1.00	1.00	1.00	1.00								
	For 33 kV Control & Relay panel														
		set		1.00	1.00										
		set		1.00	1.00	1.00	1.00			+		-	-		
3	Color Caps of each color for indicating lamps (30% of used)	set		1.00	1.00	1.00	1.00								

Name of Tenderer
Signature of Tenderer



Single-Stage: Two-Envelope Procurement of Plant

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	Description	Unit	Unit Rate, EXWorks		Qua	antity	Unit Rate, Domestic Transportation and Insurance, Lo Currency				urance, Local	Total EXW Price	Total, Domestic Transportation and Insurance	Total Price	
	·		Local Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency
1	2	3	4			5		6 = Σ5			7		8 = 4 x 6	$9 = \Sigma(\pi(5 \times 7))$	10 = 8 + 9
			·	Α	В	С	D		Α	В	С	D		-((
4	and other special devices	set		1.00	1.00	1.00	1.00								
5	Earthfault Inbuilt	set		1.00	1.00	1.00	1.00								
0	Relays	set		1.00	1.00	1.00	1.00								
		set		1.00	1.00	1.00	1.00								
		set		1.00	1.00	1.00	1.00								
9	Voltmeter	set		1.00	1.00	1.00	1.00								
A.12.7	Communication/SCADA														
1	Input Output Cards/Attribute Cards	set		1.00	1.00	1.00	1.00								
A.12.8	110 V Battery Charger														
	1	set		1.00	1.00	1.00	1.00								
	• • • •	set		1.00	1.00	1.00	1.00								
	One of each type of Switch Timer	set		1.00	1.00	1.00	1.00								
	Ammeter	set		1.00	1.00	1.00	1.00								
5	Voltmeter	set		1.00	1.00	1.00	1.00								
A 42.0	For 11 kV Circuit Breakers														
1	Complete set of replacable vacuum	set		1.00	1.00	1.00	1.00								
2	Set of Tripping, closing and	set		1.00	1.00	1.00	1.00								
		set		1.00	1.00	1.00	1.00								
	·	set		1.00	1.00	1.00	1.00								
		set		1.00	1.00	1.00	1.00								
7	Spring Charge Motor	set		1.00	1.00	1.00	1.00								
8	VCB Breaker Trollery	set		1.00	1.00	1.00	1.00								

Name of Tende	erer
Signature of	Tenderer



Re-Tender No.:ICB-DCSD-2078/79-DSUEP-AIIB-W5 Procurement of Plant

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	Description	Unit	Unit Rate, EXWorks		Qua	antity		Total Quantity	Unit Rate,	Domestic Transp Cur	urance, Local	Total EXW Price	Total, Domestic Transportation and Insurance	Total Price	
			Local Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency
1	2	3	4	Α	В	5 C	D	6 = Σ5	Α	В	7 C	D	8 = 4 x 6	$9 = \Sigma(\pi(5 \times 7))$	10 = 8 + 9
В.	33 kV FEEDER / TAP OFF STRUCTURE														
B.1	Interconnection System														
	36 kV, 630 A, 25 kA Outdoor Type, Vacuum Circuit Breaker with Accessories all Complete	set		1.00	1.00	1.00	-								
2	36 kV, 630 A, 25 kA, isolator with earth switch including accessories all complete	set		2.00	2.00	2.00	-								
3	complete	set		-	-	-	-								
4	30 kV, 10 kA, lighting arrestor with accessories all complete	set		1.00	1.00	1.00	1.00								
	Three Core Current Transformer for 33 kV with accessories all complete as specified	1		1.00	1.00	1.00	1.00								
6	Two Core Potential Transformer for 33 kV including fuse with accessories all complete as specified	set		1.00	1.00	1.00	1.00								
7	Miscellaneous fitting accessories, ACSR Conductors and all accessories required for the tapping and bay extension work	set		1.00	1.00	1.00	1.00								
8	Marshalling Kiosk Box with Accessories all Complete for placement at tapping point	set		1.00	1.00	1.00	-								
D.Z	Structures, insulators and														
1	33 kV pin insulators with supporting structures all complete	set		3.00	-	-	-								
2	Gantry Column, Girder structures for 33/11 kV substation, all complete as per specifications for each sub-project	ton		0.65	0.65	0.65	-								

Name of Tenderer
0
Signature of Tenderer



Section 4: Tender Forms 4-A-27

Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	Description	Unit	Unit Rate, EXWorks	Quantity				Total Quantity	Unit Rate, I	-	ortation and Instrency	ırance, Local	Total EXW Price	Total, Domestic Transportation and Insurance	Total Price
			Local Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency
1	2	3	4		;	5		6 = Σ5			7		8 = 4 x 6	9 = Σ(π(5 x 7))	10 = 8 + 9
			7	Α	В	С	D	0 - 23	Α	В	С	D	0-470	3 - 2(II(0 x 1))	10-0+3
3	33 kV outdoor bus bars (IPS tube, 800A) with all required insulators and complete accessories for bay extention, all complete	set		1.00	1.00	1.00	-								
4	36W, IP 65 Outdoor light for installation at Tap off Point/Switchyard/LILO point	set		1.00	1.00	1.00	1.00								
B.3	Spare Parts														
	Load Break Switch														
1	Complete Set of Load Break Switch used with Storage Compartment	set		-	-	-	-								

Name of Tenderer _ Signature of Tenderer_



Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	Description Unit		Unit Rate, EXWorks			antity		Total Quantity			rrency		Total EXW Price	Total, Domestic Transportation and Insurance	Total Price
			Local Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency
1	2	3	4	Α	В	5 C	D	6 = Σ5	Α	В	7 C	D	8 = 4 x 6	$9 = \Sigma(\pi(5 \times 7))$	10 = 8 + 9
	33 kV Line														
C.1	Conductors														
1	Overhead ACSR WOLF Conductor, 150 sq mm. with 5% Sag	kms.		-	146.14	-	-								
2	Overhead ACSR DOG Conductor, 100 sq mm. with 5% Sag	kms.		34.59	-	68.60	1.41								
3	SCADA of Tapping Point to Substation and facility for data transfer to other substation in future	kms.		11.53	24.36	22.87	0.24								
4	Mid-Span Joining Sleeve (Covered Conductor. rated min 500A)	nos.		24.00	49.00	46.00	1.00								
0.0	Balanca de caractería de la composição d														
	Poles and accessories														
C.2.1	Single Circuit Structure and Accessories														
	11 M Steel Tubular Pole	nos.		322.00		590.00	-								
	Back Strap	nos.		690.00	-	1,356.00	-								
3	Bolts with suitable nuts and washers (M16 x 100 mm)	nos.		1,812.00	-	3,340.00	-								
4	Bolts with suitable nuts and washers (M16 x 235 mm)	nos.		140.00	-	268.00	-								
. h	Bolts with suitable nuts and washers (M16 x 50 mm)	nos.		544.00	-	980.00	-								
6	Disc Type Insulator, set of three for 33 kV	nos.		690.00	-	1,356.00	-								
	Flat Crossarm Brace 33 kV (50 x 6 x 666 mm)	nos.		404.00	-	712.00	-								
8	Insulator Pin for Pin Insulator of 33 kV	nos.		786.00	-	1,419.00	-								
9	PG Clamp for ACSR DOG/WOLF	nos.		345.00	-	678.00	-								
10	Pin Type Insulator for 33 kV	nos.		786.00	-	1,419.00	-								
44	Pole Clamp with Nut, bolt and washers (TC1) with channel and support structures all complete as per design and drawings	nos.		502.00	-	958.00	-								

Name of Tenderer	
Signature of Tenderer_	



Section 4: Tender Forms 4-A-29

Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	Description	Unit	Unit Rate, EXWorks		Qua	antity		Total Quantity	Unit Rate,	Domestic Transp	oortation and Ins	urance, Local	Total EXW Price	Total, Domestic Transportation and Insurance	Total Price
	·		Local Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency
1	2	3	4	Α	В	5 C	D	6 = Σ5	Α	В	7 C	D	8 = 4 x 6	9 = Σ(π(5 x 7))	10 = 8 + 9
12	Pole Clamp with Nut, bolt and washers (TC2) with channel and support structures all complete as per design and drawings	nos.		404.00	-	712.00	-								
13	Pole Clamp with Nut, bolt and washers, Bottom Bracing (TC5) with channel and support structures all complete as per design and drawings	nos.		90.00	-	184.00	-								
14	Pole Clamp with Nut, bolt and washers, Top Bracing (TC4) with channel and support structures all complete as per design and drawings	set		90.00	-	184.00	-								
15	Preformed Pin Ties, Top Ties	set		786.00	-	1,419.00	-								
16	X 7.5 X 4.7 X 1800 mm)	nos.		70.00	-	134.00	-								
	X 7.5 X 4.7 X 1900 mm)	set		132.00	-	222.00	-								
18	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 2416 mm)	nos.		45.00	-	92.00	-								
	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 2919 mm)	nos.		90.00	-	184.00	-								
20	Steel Crossarm Channel (100 x 50	nos.		60.00	-	117.00	-								
	Strap for Insulator String for 33 kV (100 x 5 x 350 mm)	nos.		135.00	-	276.00	-								
22		nos.		690.00	-	1,356.00	-								
C 2	Double Circuit Structure and Accessories														
	13 m Steel Tubular Pole	nos.		-	546.00	-	9.00								
2	Back Strap	nos.		-	1,632.00	-	60.00								
	Bolts with suitable nuts and washers (M16 x 100 mm)	nos.		-	6,048.00	-	96.00								
1	Bolts with suitable nuts and	nos.		-	690.00	-	12.00								
	Bolts with suitable nuts and washers (M16 x 50 mm)	nos.		-	1,992.00	-	21.00								

Name of Tenderer	
Circulture of Tourdover	
Signature of Tenderer_	



Re-Tender No.:ICB-DCSD-2078/79-DSUEP-AIIB-W5 Procurement of Plant Single-Stage: Two-Envelope

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	m Description		Unit Rate, EXWorks		Qua	antity		Total Quantity	Unit Rate	, Domestic Transp Cur	oortation and Instreme	urance, Local	Total EXW Price	Total, Domestic Transportation and Insurance	Total Price
	·	Unit	Local Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency
1	2	3	4	Α	В	5 C	D	6 = Σ5	A	В	7 C	D	8 = 4 x 6	9 = Σ(π(5 x 7))	10 = 8 + 9
	Disc Type Insulator, set of three for 33 kV	nos.		-	1,632.00	-	60.00								
7	Flat Crossarm Brace 33 kV (50 x 6 x 666 mm)	nos.		-	2,604.00	-	18.00								
8	Insulator Pin for Pin Insulator of 33 kV	set		-	2,940.00	-	36.00								
9	PG Clamp for ACSR DOG/WOLF	set		-	816.00	-	30.00								
	Pin Type Insulator for 33 kV	nos.		-	2,940.00	-	36.00								
11	Pole Clamp with Nut, bolt and washers (TC1) with channel and support structures all complete as per design and drawings	set		-	1,638.00	-	27.00								
12	Pole Clamp with Nut, bolt and washers (TC2) with channel and support structures all complete as per design and drawings	nos.		-	1,302.00	-	9.00								
13	Pole Clamp with Nut, bolt and washers, Bottom Bracing (TC5) with channel and support structures all complete as per design and drawings	nos.		-	42.00	-	6.00								
14	Pole Clamp with Nut, bolt and washers, Top Bracing (TC4) with channel and support structures all complete as per design and drawings	nos.		-	42.00	-	6.00								
15	Preformed Pin Ties, Top Ties	nos.		-	2,940.00	-	36.00								
16	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 1600 mm)	nos.		-	21.00	-	3.00								
17	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 1640 mm)	nos.		-	21.00	-	3.00								
18	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 1700 mm)	nos.		-	1,773.00	-	33.00								
19	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 2500 mm)	nos.		-	105.00	-	-								
20	Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 2610 mm)	nos.		-	42.00	-	6.00								
21	Strap for Insulator String for 33 kV (100 x 5 x 350 mm)	nos.		-	126.00	-	18.00								

Name of Tenderer
Signature of Tenderer



Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	Description U		Description	Unit	Unit Rate, Quantity EXWorks Total Quantity			Unit Rate,	Domestic Transp	ortation and Ins	Total EXW Price	Total, Domestic Transportation and Insurance	Total Price		
	·		Local Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	-	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency
1	2	3	4		:	5		6 = Σ5			7		8 = 4 x 6	9 = Σ(π(5 x 7))	10 = 8 + 9
	_		<u> </u>	Α	В	С	D	0 20	Α	В	С	D	0-470	5 2(II(6 X 1))	10 - 0 1 0
22	Tension Set with Ball and Socket Eye	nos.		-	1,632.00	-	60.00								
	Stay Set														
	Pole Clamp with Nut, bolt and washers (TC3) use for 11 m Steel Tubular Pole with channel and support structures all complete as per design and drawings	nos.		150.00	75.00	287.00	4.00								
2	Pole Clamp with Nut, bolt and washers (TC3) use for 13 m or 14.5 m Steel Tubular Pole with channel and support structures all complete as per design and drawings	nos.		-	-	-	-								
3	Bolts with suitable nuts and washers (M16 x 50 mm)	nos.		300.00	150.00	574.00	8.00								
4	Bolts with suitable nuts and washers (M16 x 100 mm)	nos.		300.00	150.00	574.00	8.00								
	Stay Wire, (7/10 SWG minimum)	kg		1,500.00	750.00	2,870.00	40.00								
		nos.		150.00	75.00	287.00	4.00								
7	Stay Turn Buckle including Thimble, (18 SWG minimum)	nos.		150.00	75.00	287.00	4.00								
8	Stay I bolt, (12 inch minimum)	0		150.00	75.00	287.00	4.00								
	Stay I Rod/Anchor Rod, (minimum 1600 mm)	nos.		150.00	75.00	287.00	4.00								
		nos.		150.00	75.00	287.00	4.00								
	Stay Grip	nos.		150.00	75.00	287.00	4.00								
12	Galvanized Steel Stay Plate for Installation Underground, (600 x 600 x 6 mm minimum)	nos.		150.00	75.00	287.00	4.00								
0.0	0														
	Special Components			4.00	4.00	4.00	4.00								
1	14.5 m Steel Tubular Pole	nos.		1.00	1.00	1.00	1.00				<u> </u>				

Name of Tenderer	
Signature of Tendere	r



4-A-32 Page 32 of 55

Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	Description	Unit	Unit Rate, EXWorks	Quantity				Unit Rate, Domestic Transp Curi			oortation and Ins	urance, Local	Total EXW Price	Total, Domestic Transportation and Insurance	Total Price
			Local Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency
1	2	۹ .	4			5		6 = Σ5			7		8 = 4 x 6	$9 = \Sigma(\pi(5 \times 7))$	10 = 8 + 9
'	_		7	Α	В	С	D	0-20	Α	В	С	D	0-470	3 - 2(II(0 x 1))	10-0+3
2	Special 33 kV gantry type tower for river/road/valley crossings(approx span 350 m), all complete including body extensions of 9m, tower earthing material, tower accessories -Anti Climbing Device, Bird Guards, Plates (Danger, Number, Phase, Circuit)	ton		-	-	5.40	-								
3	Bird Guard in Poles as per project requirement (1 set consists of complete set required for a pole)	set		5.00	20.00	5.00	5.00								

Name of Tenderer
Signature of Tenderer



Single-Stage: Two-Envelope Procurement of Plant

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	Description	Unit	Unit	Unit	Unit	Unit Rate, EXWorks		Qua	antity		Total Quantity	Unit Rate,	Domestic Transp Cur	ortation and Ins	ırance, Local	Total EXW Price	Total, Domestic Transportation and Insurance	Total Price
	·		Local Currency	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal		Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency	Local Currency	Local Currency			
1	2	3	4			5		6 = Σ5			7		8 = 4 x 6	$9 = \Sigma(\pi(5 \times 7))$	10 = 8 + 9			
_				Α	Α	В	С		Α	A	В	С						
	Under Ground Cable																	
	33kV Underground Power Cable (Al				1= 10													
	,	kms		-	17.16	-	-											
	sq.mm., Single core, armoured)																	
	48 Core ADSS Cable for				0.00													
2		kms		-	2.60	-	-											
	length of UGC 36kV Straight Through Joints																	
	(single - core 3 nos. per set)																	
3	including all accessories	set		-	6.00	-	-											
	complete																	
	33kV Cable Termination Kit																	
	Outdoor Type (single - core 3 nos																	
4	per set) including all	set		-	2.00	-	-											
	accessories complete																	
	Flexible Pipe (225mm dia) for laying																	
	Single Core LIG Cable ADSS																	
5	Cable	kms		-	2.60	-	-											
	including all accessories complete																	
	HDPE Pipe (225mm dia, 6kg) for																	
	laving Single Core UG Cable. ADSS																	
6	laying Single Core UG Cable, ADSS Cable at road crossings including all	kms		-	2.60	-	-											
	accessories complete																	
	Sheath Voltage Limitor including all																	
7		set		-	2.00	-	-											
	per set)																	
	33kV Power Fuse (Drop Out Type)																	
8	including all accessories	set		-	2.00	-	-											
	complete																	
	30 kV, 10 kA Pole Mounted																	
9		set		-	2.00	-	-											
	accessories complete																	

Name of Tenderer
Signature of Tenderer



Re-Tender No.:ICB-DCSD-2078/79-DSUEP-AIIB-W5

Procurement of Plant

Single-Stage: Two-Envelope

4-A-34 Page 34 of 55

Nepal Electricity Authority

Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Summary of Schedule No. 3: Design Services (Excluding VAT applicable in Employer's Country)

Sahadula Na	Title	Total Price				
Schedule No.	Title	Foreign Currency	Local Currency			
A.	SUBSTATION					
B.	33 kV FEEDER / TAP OFF STRUCTURE					
C.	33 kV LINE					
D.	UNDERGROUND CABLE					
	Grand Total to be carried forward to Schedule 5	-				

Name of Tenderer	
Signature of Tenderer	



Nepal Electricity Authority

Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 3: Design Services (Excluding VAT applicable in Employer's Country)

				Unit	Price	Total	Price
Item	Description	Unit	Quantity	Foreign Currency	Local Currency	Foreign Currency	Local Currency
1	2	3	1	Portion	Portion 6	Portion 7 = 4 x 5	Portion 8 = 4 x 6
Α.	SUBSTATION	J	7	<u> </u>	•	7-473	0-470
1	Preconstruction Survey, Hydrological Study to identify flood levels and cut/fill volume of substation, Design and Drawings of 33/11 kV substation as per the scope of the project.	LS	4.00			-	-
2	As Built Drawings, Testing and Commissioning of 33/11 kV Substation as per the scope of the project	LS	4.00			-	-
3	Preconstruction Survey, Design and Drawings of roads to be constructed within or up to the substation as per the scope of the project.	kms	6.00			-	-
4	As Built Drawings, Testing and Commissioning of roads to be constructed within or up to the substation as per the scope of the project.	kms	6.00			-	-
B.	33 kV FEEDER/TAP OFF STRUCTURE					-	-
1	Preconstruction Survey, Design and Drawings of 33 kV bay in source substation as per the scope of the project.	LS	2.00			-	-
2	As Built Drawings, Testing and Commissioning of 33 kV bay in source substation as per the scope of the project.	LS	2.00			-	-
3	Preconstruction Survey, Design and Drawings of 33 kV tap off/LILO point as per the scope of the project.	LS	2.00			-	-
4	As Built Drawings, Testing and Commissioning of 33 kV tap off/LILO point in substation as per the scope of the project.	LS	2.00			-	-

Name of Tenderer _______

Signature of Tenderer ______

Procurement of Plant

4-A-36 Page 36 of 54

Nepal Electricity Authority

Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 3: Design Services (Excluding VAT applicable in Employer's Country)

				Unit	Price	Total	Price
Item	Description	Unit	Quantity	Foreign Currency Portion	Local Currency Portion	Foreign Currency Portion	Local Currency Portion
1	2	3	4	5	6	7 = 4 x 5	8 = 4 x 6
C.	33 kV Line					-	-
1	per the scope of the project	kms	56.18			-	-
2	As Built Drawings, Testing and Commissioning of 33 kV Line as per the scope of the project	kms	56.18			-	-
D.	Under Ground Cable					-	-
1	Preconstruction Survey, Design and Drawings of 33 kV U/G Cable as per the scope of the project	kms	2.60			-	-
2	As Built Drawings, Testing and Commissioning of 33 kV U/G Cable as per the scope of the project	kms	2.60			-	-
3	Preconstruction Survey, Design and Drawings of roads to be constructed after installation of Underground Cable	kms	0.10			-	-
4	As Built Drawings, Commissioning of roads to be constructed after installation of Underground Cable as per the scope of the project.	kms	0.10			-	-

Name of Tenderer	
Signature of Tenderer	

Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project Schedule of Rates and Prices

Summary of Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

Schedule No.	Title -	Total I	Price
Schedule No.	Title	Foreign Currency	Local Currency
Α.	SUBSTATION		
A.1	Civil Works of Switchyard Components - Concrete Foundation as per technical specifications and approved design		
A.2	Installation Testing and Commissioning Works of Electrical Components of Substation		
A.3	Landscaping Works		
A.4	Building Works		
A.5	Roads and Drainage		
	Sub Total A. Substation		
B.	33 kV FEEDER / TAP OFF STRUCTURE		
B.1	Civil Works of Interconnection Components - Concrete Foundation as per technical specifications and approved design/drawings		
B.2	Installation Testing and Commissioning Works of Electrical Components of 33 kV feeder/Tap Off Structure		
	Sub Total B. 33 kV Feeder / Tap Off Structure		
C.	33 kV LINE		
D.1	Installation, Testing and Commissioning Works and Civil Works		
D.	UNDERGROUND CABLE		
D.1	Installation, Testing and Commissioning Works and Civil Works		
E.	Environment and Social Monitoring Cost		
E.1	Mitigation Works		
	Grand Total to be carried forward to Schedule 5	-	

Name of Tenderer ______

Procurement of Plant

Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

				Oua	ıntity				Unit Price I	ocal Currency	1	Total Price
Item	Description	Unit	Malarani	Kohalpur	Babiyachaur		Total Quantity	Malarani	Kohalpur	Babiyachaur	T	
			Pipledanda		Budhebhapar	Baddichaur Odaltal		Pipledanda	Machhagadh	Budhebhapar	Baddichaur Odaltal	Local Currency
1	2	3			4		5 = Σ4			6		$7 = \Sigma(\pi(4 \times 6))$
			Α	В	С	D		Α	В	С	D	
Α.	SUBSTATION											
	Civil Works of Switchyard and Substation Components -											
A.1	Concrete Foundation as per technical specifications and						-					-
	approved design/drawings											
	Equipment Support Pedestals for Switchyard Components,											
	including Gantries, Current Transformer (CT), Potential											
A.1.1	Transformer (PT), Lightning Arrestor (LA), Power Transformer, Station Transformer, Disconnecting Switches with Earth Switch,						-					-
	Post Insulator (PI), BUS PI, Lightning Mast (LM), etc. all											
	Complete Earthwork Excavation by means of mechnical in all types of soil											
	(soil/gravel/ BMS) as per drawing and technical specifications											
1	including removal of stumps and other deleterious matter, all lifts	cu.m	132.22	426.35	132.22	183.21	874.01					-
	and lead as per drawing and instruction of the engineer.											
	Providing and laying of plain cement concrete (PCC Work) M10											
-	(manual mixed) in foundation complete as per drawing and technical	cu m	4.93	16.85	4.93	6.81	33.52					_
	specifications.	Cu.iii	4.55	10.05	4.55	0.01	00.02					
	Providing and laying of reinforcd cement concrete (RCC Work) M15											
	(manual mixed) in foundation complete as per drawing and technical	CU m	35.52	142.99	35.52	49.86	263.89					_
`	specifications.	Cu.iii	00.02	142.55	00.02	45.00	200.00					
	Providing and laying MS Reinforcement including cutting, bending,											
		ton	2.84	11.48	2.84	3.91	21.07					_
	drawing.											
	Providing, preparing and installation of form work including											
5		sq.m	142.54	517.13	142.54	211.43	1,013.63					_
	according to drawings and hauling up to 30 m distance.	ļ ·					,					
	Back filling in layers in foundationnits, trenches, etc.		04.77	000.50	04.77	400.54	570.00					
6	includingcompaction all complete with watering	cu.m	91.77	266.52	91.77	126.54	576.60					-
							-					-
A.1.2	Cable Trench						-					-
	Earthwork Excavation by means of mechnical in all types of soil											
	(soil/gravel/ BMS) as per drawing and technical specifications	ou m	48.90	48.90	48.90	48.90	195.60					
'	including removal of stumps and other deleterious matter, all lifts	cu.m	40.90	40.90	40.90	40.90	195.00					-
	and lead as per drawing and instruction of the engineer.											
	Providing and laying of plain cement concrete (PCC Work) M10											
2	(manual mixed) in foundation complete as per drawing and technical	cu.m	4.00	4.00	4.00	4.00	16.00					-
	specifications.											
	Providing and laying of reinforcd cement concrete (RCC Work) M15											
] 3	(manual mixed) in foundation complete as per drawing and technical	cu.m	15.95	15.95	15.95	15.95	63.80					-
	specifications.											
	Providing and laying of reinforcd cement concrete (RCC Precast											
4	, , , , , , , , , , , , , , , , , , , ,	cu.m	2.31	2.31	2.31	2.31	9.24					-
	drawing and technical specifications.											



Nepal Electricity Authority

Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

		Quantity Unit Price, Local Currency					Total Price					
Item	Description	Unit	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Total Quantity	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency
1	2	3		4	4		5 = Σ4			6		7 = Σ(π(4 x 6))
'		"	Α	В	С	D	3 - 24	Α	В	С	D	7 - 2(11(4 X 0))
	Providing and laying MS Reinforcement including cutting, bending,											
5	binding, fixing in position etc. all complete as per specification and	ton	1.43	1.43	1.43	1.43	5.70					-
	drawing.											
	Supply and fixing of cable holding Galvanized M.S. angle bracket as		44.00	44.00	44.00	44.00	101.00					
0	per drawing	IIII	41.00	41.00	41.00	41.00	164.00					-
							-					-
A.1.3	Grounding System						-					-
	Providing and laying of plain/reinforcd cement concrete M15											
1	(manual mixed) in for Switchyard Lightning Protection System,	cu.m	27.00	54.00	27.00	40.50	148.50					-
	Earthing arrangement as essential in the substation all complete											
							-					-
A.1.4	Illumination System						-					-
	Concrete required for Switchyard and Substation yard lighting with											
1	36 W, IP 65 LED with at least 20 lux elsewhere and 200 lux at	cu.m	5.11	5.11	5.11	5.11	20.44					-
	switchyard, as per site conditions all complete											
							-					-
A.1.5	Miscellaneous						-					-
1	Surface dressing with Crushed Stone including antiweed treatment	cu.m	4.00	4.00	4.00	4.00	16.00					
'	as per TS & approved design all complete	cu.iii	4.00	4.00	4.00	4.00	16.00					-

Name of Tenderer ____

Signature of Tenderer_



Nepal Electricity Authority Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

				Qua	antity				Unit Price, L	ocal Currency		Total Price
Item	Description	Unit	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Total Quantity	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency
1	2	3			4		5 = Σ4			6		$7 = \Sigma(\pi(4 \times 6))$
			Α	В	С	D	, <u>-</u> .	Α	В	С	D	(()
Α.	SUBSTATION											
A.2	Installation Testing and Commissioning Works of Electrical Components of Substation						-					-
A.2.1	Power Transformers						-					-
1	(with OLIC and RICC Panel) complete with all accessories	set	-	-	-	-	-					-
2	33/11 kV 6/8 MVA copper wound power transformer, CRGO core (with OLTC and RTCC Panel) complete with all accessories	set	-	2.00	-	-	2.00					-
3	33/11 kV 3 MVA copper wound power transformer, CRGO core	set	-	-	-	-	-					-
4	33/11 kV 1 MVA copper wound power transformer, CRGO core	set	1.00	-	1.00	1.00	3.00					-
							-					-
A.2.2	36 kV System						-					-
1	Accessories all Complete	set	1.00	4.00	1.00	2.00	8.00					-
	36 kV, 630 A, 25 kA, isolator with earth switch including accessories all complete	set	2.00	8.00	2.00	4.00	16.00					-
3	36 kV, 40 A, Load Break Switch with accessories all complete	set	1.00	-	1.00	1.00	3.00					-
		set	1.00	1.00	1.00	1.00	4.00					-
	accessories all complete as specified	set	2.00	3.00	2.00	3.00	10.00					-
6	Three Core Current Transformer for 33 kV with accessories all complete as specified	set	1.00	4.00	1.00	2.00	8.00					-
7	Two Core Bushing CT for 33/11 kV Power Transformer with accessories all complete as specified.	set	-	2.00	-	-	2.00					-
8	Two Core CT for neutral side of 33/11 kV Power Transformer with accessories all complete as specified.	set	1.00	2.00	1.00	1.00	5.00					-
9	30 kV, 10 kA, lighting arrestor with accessories all complete	set	3.00	5.00	3.00	4.00	15.00					-
	33kV Outdoor Busbar (IPS tube, 800A) with required insulators and accessories as well as any cables necessary in 33 kV side all complete	set	1.00	1.00	1.00	1.00	4.00					-
	33/11 kV Transformer Control and Protection Panel complete with all accessories as per specification	set	1.00	2.00	1.00	1.00	5.00					-
	33 kV Protection Control and Relay Panel complete with all accessories as per specification for Line Bays	set	1.00	2.00	1.00	2.00	6.00					-
13	Marshalling Kinck Box with Accessories all Complete (1 set refers to	set	1.00	1.00	1.00	1.00	4.00					-
							-					-
A.2.3	12 kV System						-					-
1	accessories all complete as specified	set	3.00	11.00	3.00	3.00	20.00					-
2	12 kV, 25 kA, Indoor Earth Switch with accessories all complete as specified	set	2.00	8.00	2.00	2.00	14.00					-
3	·	set	3.00	10.00	3.00	3.00	19.00					
A.24	Station Supply System						-					-



Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

				Qua	antity				Unit Price,	Local Currency		Total Price
Item	Description	Unit	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Total Quantity	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency
1	2	3			4		5 = Σ4			6		$7 = \Sigma(\pi(4 \times 6))$
			A	В	С	D		Α	В	С	D	"
1		set	1.00	1.00	1.00	1.00	4.00					-
2	substation)	set	1.00	1.00	1.00	1.00	4.00					-
3	Portable Diesel Generator, 10 kVA, 400 V including grid interconnection setup, relay, control units and associated panels, as per specifications	set	1.00	1.00	1.00	1.00	4.00					-
A 2 5	DC System						-					-
1	250 Ah 110 V maintenance free hatteries including complete	set	1.00	1.00	1.00	1.00	4.00					-
2		set	1.00	1.00	1.00	1.00	4.00					-
3	DC Distribution System including accessories all complete as per specifications(1 set includes complete lot for substation)	set	1.00	1.00	1.00	1.00	4.00					-
A 2 C	Cables						-					-
	11 kV XLPE Cable 3 Core 300 sq mm (Armoured)	m	-	50.00	_	_	50.00					-
	2 11 kV XLPE Cable 3 Core 185 sq mm (Armoured)	m	25.00	500.00	25.00	25.00	575.00					
	3 11 kV XLPE Cable 3 Core 100 sq mm (Armoured)	m	50.00	- 300.00	50.00	50.00	150.00					
۷	11 kV 3-core heat shrinkable Indoor Cable termination kit 185/300/120 sq mm	set	3.00	10.00	3.00		19.00					-
5	11 kV 3-core heat shrinkable outdoor Cable termination kit 185/120 sq mm	set	3.00	10.00	3.00	3.00	19.00					-
6	Control cables including accessories complete (1 set includes source bay and destination bay together)(1 set includes complete lot for substation)	set	1.00	1.00	1.00	1.00	4.00					-
7	1.1 kV power and lighting cable, including DC circuitry for all works in the switchyard, outdoor lighting, beauty lighting all complete (1 set includes complete lot for substation)	set	1.00	1.00	1.00	1.00	4.00					-
			-				-					-
A.2.7	Automation and Control System - SCADA		-				-					-
1	with necessary accessories adhering to the Technical Specifications and requirement for the substation.(1 set includes complete lot for substation)	set	1.00	1.00	1.00	1.00	4.00					-
2	GB HDD, 24 " two screen,	set	1.00				4.00					-
3	Laptop, with same configuration as desktop and 15 " screen	set	1.00	1.00	1.00	1.00		-				-
4.0.0	One was the account to a Constant		-				-					-
A.2.8	Grounding System		-				-					-

Name of Tenderer _____

Signature of Tenderer_____



Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

				Qua	intity			Unit Price, Local Currency				Total Price
Item	Description	Unit	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Total Quantity	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency
1	2	3			4		5 = Σ4			6		$7 = \Sigma(\pi(4 \times 6))$
	-		Α	В	С	D	U - 24	Α	В	С	D	7 - 2(11(4 x 0))
1	Switchyard Lightning Protection System, Earthing arrangement, Including protection for Control building and other structures inside the substation area as essential in the substation all complete(1 set includes complete lot for substation)	set	1.00	1.00	1.00	1.00	4.00					-
2	Lightning Mast	ton	0.07	0.14	0.07	0.07	0.35					-
			-				-					-
A.2.9	Illumination System		-				-					-
1	Switchyard and Substation yard lighting with 36 W, IP 65 LED with at least 20 lux elsewhere and 200 lux at switchyard, as per site conditions all complete(1 set includes complete lot for substation)	set	1.00	1.00	1.00	1.00	4.00					-
			-				-					-
	Outdoor Gantry and Support Structures		-				-					-
	Gantry Column, Support Structures, Girder structures for 33/11 kV substation, all complete as per specifications for each sub-project	ton	3.47	7.53	3.47	6.00	20.47					-
2	Chequered Plate for Cable Trench in Control Building of thickness as mentioned in Technical Specification with accessories all complete as for specifications	ton	0.67	0.67	0.67	0.67	2.66					-
							-					-
	11 kV Overhead Line Feeder Components		-				-					-
	9 kV, 10 kA, Pole Mounted lighting arrestor with accessories all complete	set	2.00	8.00	2.00	2.00	14.00					-
2	Pole Mounted Isolator, for 11 kV with accessories all complete	set	2.00	8.00	2.00	2.00	14.00					-

Name of Tenderer _____

Signature of Tenderer_____



Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

				Qua	ntity				Unit Price, L	ocal Currency		Total Price
Item	Description	Unit	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Total Quantity	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency
1	2	3		,	4		5 = Σ4			6		$7 = \Sigma(\pi(4 \times 6))$
-			A	В	С	D		Α	В	С	D	
	SUBSTATION											
	Landscaping Works						-					-
A.3.1	Site Levelling						-					-
	Earth work in cutting including site clearing and contour survey work	cu.m	400.00	950.00	650.00	400.00	2,400.00					-
2	Earth work in Filling and in filling with borrowed earth including site clearing and contour survey work	cu.m	1,250.00	5,000.00	2,000.00	1,250.00	9,500.00					-
A.3.2	Boundary Wall						-					-
1	Earth work in cutting & Filling and in filling with borrowed earth including site clearing and levelling	cu.m	389.03	555.75	472.39	416.81	1,833.98					-
2	Earthwork in backfilling	cu.m	77.81	111.15	94.48	83.36	366.80					-
3	Stone soling and finishing upto approved level, line and dimension	cu.m	5.99	8.55	7.27	6.41	28.22					-
4	top (copping).	cu.m	44.21	63.15	53.68	47.36	208.40					-
5	Providing and laying Random rubble masonry in 1:4 cement mortar including scaffolding, curing,preparation of mortar etc.complete, masoned height 0-5m, lead 30m (manual mixing)	cu.m	700.00	1,000.00	850.00	750.00	3,300.00					-
6	Providing & laying First class chimney made brick masonry work in wall with 1:4 cement sand mortar (1 cement : 4 sand) including lead upto 30 m with curing, cleaning & racking out mortar joint and making ducts, recesses where required as per drawing	cu.m	96.60	138.00	117.30	103.50	455.40					-
7	Providing, laying & curing cement sand (1:4) Plastering on external walls to perfect plumb, lines & level icluding raking the mortar joints and wetting the masonry surface all complete as per design drawings, specifications and instrcution of the site engineer all complete:	sq.m	840.00	1,200.00	1,020.00	900.00	3,960.00					-
	Chain link fencing as per technical specification and approved drawing but excluding concrete which shall be paid seperately	rm	280.00	400.00	340.00	300.00	1,320.00					-
	Main Entrance Gate						-					-
1	Earthwork in Excavation of all types of soil by mechanical means as per drawing and technical specifications including removal of	cu.m	10.13	10.13	10.13	10.13	40.50					-
2		cu.m	1.01	1.01	1.01	1.01	4.05					
	Providing and laying of plain/reinforcd cement concrete M15 (manual mixed) in foundation complete as per drawing and technical specifications.	cu.m	0.51	0.51	0.51	0.51	2.03					-
4	Providing and laying of plain/reinforced cement concrete M25	cu.m	4.79	4.79	4.79	4.79	19.16					-
5	Providing and laying Reinforcement including cutting, bending, binding, fixing in position etc. all complete as per specification and drawing.	ton	0.38	0.38	0.38	0.38	1.50					-

Name of Tenderer _____

Signature of Tenderer_____



Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

				Qua	intity		Total Quantity		Unit Price,	Local Currency		Total Price
Item	Description	Unit	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Total Quantity	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency
1	2	3		•	4		5 = Σ4			6		$7 = \Sigma(\pi(4 \times 6))$
	_		Α	В	С	D	V - 24	Α	В	С	D	7 - 2(11(4 × 0))
	Providing, preparing and installation of form work including											
6	necessary supports and removing after completion for structure	sq.m	30.06	30.06	30.06	30.06	120.24					-
	according to drawings and hauling up to 30 m distance.											
7	Providing, and installation all complete of metal gate as per TS and	nos.	1.00	1.00	1.00	1.00	4.00					
/	drawings	1105.	1.00	1.00	1.00	1.00	4.00					-
							-					-
A.3.3	Switchyard Fencing						-					-
	Chain link fencing as per technical specification and approved	rm	63.00	126.00	63.00	63.00	315.00					_
	drawing but excluding concrete which shall be paid seperately		03.00	120.00	03.00	03.00	313.00					-
	Switch yard Gate with complete finish as per specifications	Nos.	1.00	1.00	1.00	1.00	4.00					-
A.3.4	Miscellaneous Works in Switchyard						-					-
1	Stone spreading including antiweed treatment in switchyard but	sq.m	19.50	39.00	19.50	19.50	97.50					_
	excluding PCC.	34.111	19.50	39.00	19.50	19.50	97.50					
	Providing and laying 75mm thick Plain Cement Concrete 1:5:10 (1 cement : 5 sand : 10 Stone aggregate)	cu.m	13.16	26.33	13.16	13.16	65.81					-
	cernent . 5 Sand . 10 Stone aggregate)		 				_		+			
							-		1			-



Nepal Electricity Authority Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

				Qua	antity				Unit Price,	Local Currency		Total Price
Item	Description	Unit	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Total Quantity	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency
1	2	3			4		5 = Σ4			6		$7 = \Sigma(\pi(4 \times 6))$
·	<u>-</u>		Α	В	С	D		Α	В	С	D	. =(()
A.4	Building Works											
A.4.1	Site Clearance works						-					-
	Clearing and grubbing including uprooting rank vegetation, grass, bushes, shrubs, saplings and trees girth upto 300mm, removal of		000.00	000.00	000.00	000.00	2.402.02					
1	stumps of trees cut earlier and disposal of unserviceable materials amd stacking of serviceable material to be used or auctioned upto a lead of 30m	sqm	623.23	623.23	623.23	623.23	2,492.92					-
A.4.2	Earthworks						-					-
1	Earthwork in Excavation of all types of soil by mechanical means as per drawing and technical specifications including removal of	cum	578.92	578.92	578.92	578.92	2,315.67					-
2	Back filling in layers in foundation pits, trenches, etc, with approved soil obtained from the excavation at site and stacked at site or	cum	400.08	400.08	400.08	400.08	1,600.33					-
A.4.3	Concrete Works						-					-
1	Providing and laying of plain/reinforced cement concrete M15 (machine mixed) in foundation complete as per drawing and technical specifications.	cum	253.46	253.46	253.46	253.46	1,013.82					-
2	Providing and laying of plain/reinforced cement concrete M25 (machine mixed) in foundation complete as per drawing and technical specifications.	cum	320.48	320.48	320.48	320.48	1,281.92					-
3	Providing and laying Reinforcement including cutting, bending, binding, fixing in position etc. all complete as per specification and drawing.	ton	50.32	50.32	50.32	50.32	201.26					-
4	Providing, preparing and installation of form work including necessary supports and removing after completion for structure according to drawings and hauling up to 30 m distance.	sqm	1,557.58	1,557.58	1,557.58	1,557.58	6,230.33					-
A.4.4	Brick Works						-					-
1	Dry flat brick soling works	sqm	762.17	762.17	762.17	762.17	3,048.66					-
2	Providing & laying First class chimney made brick masonry work in Foundation with 1:6 cement sand mortar including lead upto 30 m with curing, cleaning & racking out mortar joint and making ducts, recesses where required as per drawing	cum	122.69	122.69	122.69	122.69	490.76					-
3	Providing & laying First class chimney made brick masonry work in Superstructure with 1:6 cement sand mortar including lead upto 30 m with curing, cleaning & racking out mortar joint and making ducts, recesses where required as per drawing	cum	211.46	211.46	211.46	211.46	845.84					-
	Finishing Works						-					-
1	2mm thick white putty on wall and ceiling	sqm	2,067.51	2,067.51	2,067.51	2,067.51	8,270.03					-
2	Two coat plastic emulsion paint over one coat primer (Astar) on new surface	sqm	1,503.47	1,503.47	1,503.47	1,503.47	6,013.87					-
3	Two coat of weather coating over one coat primer (Astar) on new surface	sqm	564.04	564.04	564.04	564.04	2,256.16					-

Name of Tenderer _____

Signature of Tenderer_____



Re-Tender No.:ICB-DCSD-2078/79-DSUEP-AIIB-W5

Procurement of Plant Single-Stage: Two-Envelope

Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

			Quantity					Unit Price,	Local Currency		Total Price	
Item	Description	Unit	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Total Quantity	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency
1	2	3			4		5 = Σ4	6		$7 = \Sigma(\pi(4 \times 6))$		
			A	В	С	D		Α	В	С	D	
	Two coat readymade enamel paint over one coat primer (Astar)	sqm	242.06	242.06			968.24					-
	Sal wood work for choukosh[0.1x0.075m section]	cum	2.76	2.76	2.76	2.76	11.02					-
	Flush shutter 38mm thick sal wood frame with 3mm thick teak plywood on both side of shutter	sqm	87.79	87.79	87.79	87.79	351.14					-
7	per drawing all complete.((frame 60*60mm, sash 60*78mm, white colour with 5mm glass)	sqm	74.63	74.63	74.63	74.63	298.50					-
	3 x 20mm Metal Grill including manufacturing, fitting, painting with Aluminium paint, sand papering all complete	kg	1,058.11	1,058.11	1,058.11	1,058.11	4,232.44					-
9	Providing, laying, compacting and curing average 38mm mm thick screed with 1:2:4 cement sand mortar in perfect lines & level in whole flooring as per design, specification and instruction of the site engineer.	sqm	316.75	316.75	316.75	316.75	1,267.02					-
10	Provide and laying 3 mm cement punning including cleaning, watering, curing the laid surface all complete as per instruction & specification.	sqm	303.92	303.92	303.92	303.92	1,215.68					-
	Providing Glazed Ceramic Tile of approved size and colour with 1:4 cement sand mortar.	sqm	63.87	63.87	63.87	63.87	255.46					-
12	Laying of 16mm thick marble over 20mm thick 1:2 cement mortar with rubbing & polish as per specifications all complete.	sqm	15.80	15.80	15.80	15.80	63.18					-
13	Providing and fixing non glazed ceramic tiles fixed on floors with 1: 4 Cement Sand Mortar in exact line & level all complete as per drawing specification & instruction.	sqm	58.97	58.97	58.97	58.97	235.90					-
14	Providing and laying non slippery tile of size 2'x2' in terraces and similar loactions all complete as per drawing, specification and instruction. (vitrified)	sqm	167.07	167.07	167.07	167.07	668.28					-
15	Providing, laying & curing 12.5 mm thick cement sand (1:4) plastering in ceiling, beams and column surfaces including chipping & wetting the concrete surfaces finished in perfect plumb, lines and level as per drawings, specifications and instructions of the site engineer.	sqm	270.55	270.55	270.55	270.55	1,082.18					-
16	Providing, laying & curing cement sand (1:4) Plastering on internal walls to perfect plumb, lines & level icluding raking the mortar joints and wetting the masonry surface all complete as per design drawings, specifications and instrcution of the site engineer all complete:	sqm	1,232.92	1,232.92	1,232.92	1,232.92	4,931.69					-
17	Providing, laying & curing cement sand (1:4) Plastering on external walls to perfect plumb, lines & level icluding raking the mortar joints and wetting the masonry surface all complete as per design drawings, specifications and instrcution of the site engineer all complete:	sqm	564.04	564.04	564.04	564.04	2,256.16					-

Name of Tenderer _____

Signature of Tenderer_____



Procurement of Plant Re-Tender No.:ICB-DCSD-2078/79-DSUEP-AIIB-W5

Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

				Qua	antity			Unit Price, Local Currency			Total Price	
Item	Description	Unit	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Total Quantity	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency
1	2	3			4		5 = Σ4	6				$7 = \Sigma(\pi(4 \times 6))$
	_	"	Α	В	С	D	U - 24	Α	В	С	D	7 - 2(11(4 X 0))
	Providing and application of two coats of water-proofing coating											
10	(TAPELASTIC) on the RCC Terrace, share wall, Slope Roof, Sun-	cam	869.64	869.64	869.64	869.64	3,478.56					_
10	shade Slab etc. with ordinary hand brusch including cleaning of the	Sqiii	009.04	009.04	009.04	009.04	3,470.30					_
	surface all comple											
A.4.6	Miscelleneous Works						-					-
	Supplying and fitting of 50 dia. Grade 204 Stainless steel hand rail											
1	in 2.0 m. distance with 50mm dia. Railing post, 25mm dia. 3 line	rm	6.65	6.65	6.65	6.65	26.60					-
	horizontal member in the center and height 0.90 m. all complete.											
1 2	Providing and fixing of rolling shutters as per specifications all	sam	9.30	9.30	9.30	9.30	37.20					_
	complete.	34111	3.30	9.50	3.30	3.50						
	Fire Extinguisher (6Kg NS or IS standard) with range of jet 6 m	no	4.00	4.00	4.00	4.00	16.00					-
1	Euroguard 7 Liters/min (max) wall mounted with water flow rate 0.25	no	4.00	4.00	4.00	4.00	16.00					_
	L/min and purification capacity upto 15L/hr	110	4.00	4.00	4.00	4.00	10.00					
5	Antitermite treatment in foundation as per specifications all complete	sam	405.90	405.90	405.90	405.90	1,623.60					_
		oqiii	100.00	100.00	100.00	100.00	1,020.00					
	Plumbing, sanitation and related works including water faucets,											
6	valves, pipe, fittings, RCC underground tank, PVC 1000 Litre	LS	1.00	1.00	1.00	1.00	4.00					-
	Overhead Tank, Pumps, and all applicable fittings all complete											

Name of Tenderer ____

Signature of Tenderer_



Nepal Electricity Authority Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

			Quantity					Unit Price,	Local Currency		Total Price	
Item	Description	Unit	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Total Quantity	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency
1	2	3	Α	В	4 C	D	5 = Σ4	Α	В	6 C	D	7 = Σ(π(4 x 6))
Α.	SUBSTATION											
A.5	Roads and Drainage						-					-
A.5.1	Internal Roads						-					-
1	Earth work in cutting & Filling and in filling with borrowed earth including site clearing and levelling	sq.m	1,225.00	1,225.00	1,225.00	1,225.00	4,900.00					-
2		sq.m	1,225.00	1,225.00	1,225.00	1,225.00	4,900.00					-
	Providing and laying of hand pack stone soling with 250mm thick stones and packing with smaller stones on prepared surface as per drawing and technical specifications	sq.m	306.25	306.25	306.25	306.25	1,225.00					-
4	Supplying mixing, placing, compacting plain cement concrete of M25 including admixture excluding the cost of reinforcement bars & formwork as per drawing, specification and instruction all complete.	cu.m	245.00	245.00	245.00	245.00	980.00					-
5	formwork all complete as per drawing, specification & instruction.	sq.m	140.00	140.00	140.00	140.00	560.00					-
6	Providing and fixing in position Fe 500 steel reinforcement of various diameter confirming to relevant IS code in R.C.C. works including straightening, cutting, bending, binding with 20 SWG annealed wire for tying the reinforcement bars at each junctions (binding wire shall not be measured separately) including all waste and cut pieces, provision for adequate numbers of spacers, chairs, providing and placing cement mortar (1:1) cover blocks to keep the bars in intended position at all levels all complete as per drawings, specifications and instruction of the the engineer. (Authorised lap length and for the bar length exceeeding 10 meter in length shall be measured for the payment).	ton	1.92	1.92	1.92	1.92	7.69					-
A.5.2	Drainage						-					-
1	including site clearing and levelling	sq.m	500.00	500.00	500.00	500.00	2,000.00					-
2	150mm thick stone soling and finishing to approved level, line and dimensions as per instruction & specification complete work	cu.m	67.50	67.50	67.50	67.50	270.00					-
3	Supplying mixing, placing, compacting of 100mm thick M15 plain cement concrete for foundation bases & floors lead upto 30m excluding the cost of formwork & reinforcement bars, as per drawing, specification & instruction all complete.	cu.m	45.00	45.00	45.00	45.00	180.00					-
4	Providing & laying First class chimney made brick masonry work in wall with 1:4 cement sand mortar (1 cement : 4 sand) including lead upto 30 m with curing, cleaning & racking out mortar joint and making ducts, recesses where required as per drawing	cu.m	138.00	138.00	138.00	138.00	552.00					-
5	Providing and laying of 600mm dia hume pipe for drainage at road crossings as per specification and requirement at site, NP4	rm	40.00	40.00	40.00	40.00	160.00					-
6	Providing and laying of 600mm dia hume pipe for drainage at road crossings as per specification and requirement at site, NP3	rm	20.00	20.00	20.00	20.00	80.00					-
7	Supplying and Erecting Dewatering Pumps - 0.5 HP or of required capacity	nos.	1.00	1.00	1.00	1.00	4.00					-



Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

			Quantity				Unit Price, L	ocal Currency		Total Price		
Item	Description	Unit	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Total Quantity	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency
1	2	3			4		5 = Σ4			6		$7 = \Sigma(\pi(4 \times 6))$
'	2		Α	В	С	D	5-24	Α	В	С	D	7 - 2(11(4 X 0))
B.	33 kV FEEDER / TAP OFF STRUCTURE											
	Civil Works of Interconnection Components - Concrete											
B.1	Foundation as per technical specifications and approved						-					-
	design/drawings											
	Equipment Support Pedestals for Switchyard Components,											
	including Gantries, Current Transformer (CT), Potential											
B.1.1	Transformer (PT), Lightning Arrestor (LA), Disconnecting						-					-
	Switches with Earth Switch, Post Insulator (PI), BUS PI,											
	Lightning Mast (LM), etc. all complete											
	Earthwork Excavation by means of mechnical in all types of soil											
1	(soil/gravel/ BMS) as per drawing and technical specifications	cu.m	2.28	68.94	44.14	_	115.36					_
'	including removal of stumps and other deleterious matter, all lifts	Cu.iii	2.20	00.54	77.17		110.00					_
	and lead as per drawing and instruction of the engineer.											
	Providing and laying of plain cement concrete (PCC Work) M10											
2	(manual mixed) in foundation complete as per drawing and technical	cu.m	0.10	2.32	1.58	-	4.00					-
	specifications.											
	Providing and laying of reinforcd cement concrete (RCC Work) M15											
3	(manual mixed) in foundation complete as per drawing and technical	cu.m	0.91	15.39	11.60	-	27.90					-
	specifications.											
	Providing and laying MS Reinforcement including cutting, bending,											
4	binding, fixing in position etc. all complete as per specification and	ton	0.04	1.28	0.94	-	2.27					-
	drawing.											
	Providing, preparing and installation of form work including											
5		sq.m	4.86	72.67	54.31	-	131.85					-
	according to drawings and hauling up to 30 m distance.											
6	Back filling in layers in foundationpits, trenches, etc,	cu.m	1.27	51.23	30.96	_	83.46					_
	includingcompaction all complete with watering	Cu.iii	1.27	31.23	30.30		00.40					
							-					-
B.1.2	Grounding System						-					-
	Providing and laying of plain/reinforcd cement concrete M15											
1	(manual mixed) in for Switchyard Lightning Protection System,	cu.m	_	13.50	13.50	_	27.00					_
	Earthing arrangement as essential in the substation all complete,	ou.iii		10.00	10.00		27.00					
	wherever required.											
							-					
B.1.3	Illumination System						-					-
	Concrete required for Switchyard and Substation yard lighting with											
1	l '	cu.m	0.73	1.46	1.46	-	3.65					-
	switchyard, as per site conditions all complete											
							-					-
	Miscellaneous						-					-
	Surface dressing with Crushed Stone including antiweed treatment	cu.m	_	2.00	2.00	_	4.00					-
<u> </u>	as per TS & approved design all complete	2		2.30	2.00							
							-					-

Name of Tenderer ______Signature of Tenderer_____



Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

		Quar		ntity				Unit Price,	Local Currency		Total Price	
Item	Description	Unit	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Total Quantity	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency
1	2	3		•	1		5 = Σ4			6		$7 = \Sigma(\pi(4 \times 6))$
L '	-		Α	В	С	D	0-24	Α	В	С	D	7 - 2(II(4 X 0))
B.	33 kV FEEDER / TAP OFF STRUCTURE											
B.2	Installation Testing and Commissioning Works of Electrical						_					_
	Components of Substation											
B.2.1	Interconnection System						-					-
1	36 kV, 630 A, 25 kA Outdoor Type, Vacuum Circuit Breaker with Accessories all Complete	set	1.00	1.00	1.00	-	3.00					-
	36 kV, 630 A, 25 kA, isolator with earth switch including accessories all complete	set	2.00	2.00	2.00	-	6.00					-
3	36 kV, 400 A/300 A Load Break Switch with accessories all complete	set	-	-	-	-	-					-
4	Three Core Current Transformer for 33 kV with accessories all complete as specified	set	1.00	1.00	1.00	1.00	4.00					-
5	accessories all complete as specified	set	1.00	1.00	1.00	1.00	4.00					-
6	30 kV, 10 kA, lighting arrestor with accessories all complete	set	1.00	1.00	1.00	1.00	4.00					-
7	Miscellaneous fitting accessories, ACSR Conductors and all accessories required for the tapping and bay extension work	set	1.00	1.00	1.00	1.00	4.00					-
	Marshalling Kiosk Box with Accessories all Complete for placement at tapping point	set	1.00	1.00	1.00	-	3.00					-
B.2.2	Structures, insulators and busbars - For Bay						-					-
1	Gantry Column, Girder structures for 33/11 kV substation, all complete as per specifications for each sub-project	lot	0.65	0.65	0.65	-	1.96					-
	36W, IP 65 Outdoor light for installation at Tap off Point/Switchyard/LILO point	set	1.00	1.00	1.00	1.00	4.00					-
							-					-



Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

			Quantity			Unit Price, Local Currency						
Item	Description	Unit	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Total Quantity	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency
1	2	3		4			5 = Σ4	6		$7 = \Sigma(\pi(4 \times 6))$		
			Α	В	С	D	-	Α	В	С	D	(('''
	Installation, Testing and Commissioning Works											
	Stringing of Conductors						-					-
	Overhead ACSR WOLF Conductor, 150 sq mm. with 5% Sag	kms	-	146.14	-	-	146.14					-
	Overhead ACSR DOG Conductor, 100 sq mm. with 5% Sag	kms	34.59	-	68.60	1.41	104.60					-
	ADSS Cable with 5% sag,approach cable and support structure											
3	(Clamp, nut bolts, shackle insulators all) all complete as per	kms	11.53	24.36	22.87	0.24	58.99					_
	specifications for SCADA of Tapping Point to Substation and facility	I TATA	11.00	21.00	22.07	0.21	00.00					
	for data transfer to other substation in future											
	Poles and accessories						-					-
	Hardware and transportation of 11 m long Steel tubular pole											
1	including erection - excavation of footing, making pole vent, placing	Nos.	322.00	-	590.00	-	912.00					-
	in footing, backfilling, concreting all complete											
	Hardware and transportation of 13 m long Steel tubular pole											
2	including erection - excavation of footing, making pole vent, placing	Nos.	-	546.00	-	9.00	555.00					-
	in footing, backfilling, concreting all complete											
	Stay sets, with stay wire, rod, ties & insulator all complete including	set	150.00	75.00	287.00	4.00	516.00					_
	transportation to site.	361	130.00	75.00	207.00	4.00	310.00					
	Providing and laying of plain cement concrete (PCC) M15 (manual											
	mixed) in foundation complete as per drawing and technical	cum	236.27	525.63	426.55	6.44	1,194.89					-
	specifications for 11 m and 13 m STP.											
	Special Components						-					-
	Hardware and transportation of 14.5 m long Steel tubular pole											
1	including erection - excavation of footing, making pole vent, placing	set	1.00	1.00	1.00	1.00	4.00					-
	in footing, backfilling, concreting all complete											
	Providing and laying of plain cement concrete (PCC) M15 (manual											
2	mixed) in foundation complete as per drawing and technical	cum	1.31	1.31	1.31	1.31	5.25					-
	specifications for 14.5 m STP.											
	Work related with Steel Lattice Towers required concrete											
	foundation, stub setting and erection all complete including											
3	excavation (approx. 42 cu. m, PCC M10 Concrete (approx. 1.16 cu.	nos.	-	-	2.00	-	2.00					-
	M, M20 Concrete (approx. 5 cu. M), Rebar (approx. 0.35 ton) and											
	Cement (approx. 175 bags)											
4	Bird Guard in Poles as per project requirement (1 set consists of	a a t	5.00	20.00	5.00	5.00	35.00					
4	complete set required for a pole)	set	5.00	20.00	5.00	5.00	35.00					-
	Dismantling Works						-					-
	Dismantling and Transportation to specified location (preferably											
	NEA store nearby/substation compound) of 9 m ,10 m, 11 m pole	nos.	1.00	1.00	1.00	1.00	4.00					_
	including conductor (approx 50 m distance between poles) as	1105.	1.00	1.00	1.00	1.00	4.00					-
	essential in the site											
	Dismantling and Transportation to specified location (preferably											
	NEA store nearby/substation compound) of ACSR Conductors as	kms	3.00	1.00	0.15	0.15	4.30					-
	essential in the site											
2	Recondutoring of 33 kV or 11 kV lines for certain sections as double	kms	60.00	20.00	0.15	0.15	80.30					
	or single circuit	KIIIS	00.00	20.00	0.13	0.13	00.30					

Name of Tenderer _____

Signature of Tenderer_____



4-A-52

Nepal Electricity Authority

Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

												LC: NPR
				Qua	ntity			Unit Price, Local Currency				Total Price
Item	Description	Unit	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Total Quantity	Malarani Pipledanda	Kohalpur Machhagadh	Babiyachaur Budhebhapar	Baddichaur Odaltal	Local Currency
1	2	3			4		5 = Σ4			6		$7 = \Sigma(\pi(4 \times 6))$
	·		A	В	С	D	U-24	Α	В	С	D	. =((+ × •))
D.	Under Ground Cable											
	33kV Underground Power Cable and ADSS Cable Laying works (2 phases of Conductors and ADSS cables in sepearate Flexible Pipe/HDPE Pipe/Conduits) including transportation to site and Restoration of road to original with required drainage, pavement, black-topping, subbase and base as per TS of Department of Roads and/or respective Municipality	kms	-	2.60	-	-	2.60					-
2	Installation of Cable Straight through Joints with accessories all complete including transportation to site	Set	-	6.00	-	-	6.00					-
:	Installation of 33 kV outdoor XLPE Cable Termination kit with accessories all complete including transportation to site	Set	-	2.00	-	-	2.00					-
4	Installation of 30 kV LA (3Nos), Power Fuse (3Nos) including accessories all complete including transportation to site	Set	-	2.00	-	-	2.00					-
	Supply & Installation of Danger Sheets and Route Markers Complete including transportation to site	kms	-	2.60	-	-	2.60					-
	Earthing works including Supply of Earthing Materials required in U/G Cable Terminations, Straight Through Joints, LA etc to complete the specified scope of works including transportation to site		-	2.00	-	-	2.00					-
	Construction of Cable Joining Station/Pits	Set	-	6.00	-	-	6.00					-

THE PROPERTY OF THE PARTY OF TH

Name of Tenderer	
Signature of Tenderer	

Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

Item	Description	Unit	Total Price	Total Price
			Foreign Currency	Local Currency
1	2	3	4	5
E.	Environmental Mitigation Works			
	Environmental and Social Monitoring Works			
1	Environmental and Social Monitoring Cost Estimates as per the ESMP Reports and as assigned by Client.	lot		

Name of Tenderer ______

Procurement of Plant

4-A-54 Page 54 of 55

Nepal Electricity Authority

Distribution and Consumer Services Directorate

Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 6: Recommended Spare Parts (Excluding VAT in Employer's Country)

LC: NPR

			Unit	Price	Total	Price			
Item	Description	Quantity	CIP	EXW					
iteiii	Description	Quantity	Imported Parts	Local Parts	Foreign Currency Portion	Local Currency Portion			
			Foreign Currency	Local Currency					
1	2	3	4	5	6 = 3 x 4	7 = 3 x 5			
	TOTAL								

Name of Tenderer	
Signature of Tenderer	

